NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-FIFTH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to Parliament by Command.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.



VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1880:

WITH PREFATORY REPORT.

Sir,

Registrar General's Department, Sydney, 4 July, 1881.

I beg to forward herewith the returns relating to the Registration of Marriages, Births, and Deaths, during the year 1880.

The population of the Colony on the 31st December, 1880, was estimated at 770,524 persons. The population rough returns of the Census taken on the 3rd April last show that this estimate has not been realized by about 20,000 souls. I have no doubt that this deficit in my estimate has been occasioned by two causes: firstly, from inaccurate returns of the departures from the Colony, and secondly that a number of deaths have been escaping registration. As to the first cause, I may state that I have had an interview with the Collector of Customs, from whose department I receive quarterly returns of arrivals and departures, and he states that he finds it next to impossible to afford me correct figures as to the departures from the Colony seaward. It appears that steam-vessels carrying passengers are in the habit of clearing without giving a complete list of those whom they are taking away. The subject is, in my opinion, of sufficient importance to advise that a new system should if possible be devised, which will have the effect of producing more reliable figures than heretofore supplied.

As to the second cause, I may mention that I have of late been advised that a number of deaths have not been recorded in obedience to the Registration Act (19 Vic. No. 34). I propose therefore to remedy this defect by laying information against any person who, being the tenant of a house, shall neglect to register the death of any person who may have died in such house, in terms of clause 21 of the beforementioned Act. By this means I feel assured, if I can obtain ready and willing assistance from the Crown Law Officers, this reason for complaint will soon pass away.

The number of Marriages celebrated in the Colony during the year 1880 was 5,572, showing an Marriages, increase of 181 on the previous year. The registered Births for the year numbered 28,162, of which Deaths. 14,424 were males and 13,738 females; the increase on the previous year being 1,229.

The number of Deaths registered during the year was 11,231, being 1,031 in excess of the figures for the previous year.

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during each Quarter of the year 1880.

			Births.			Deaths.	
Quarter ended—	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney—		T TO A	l p				
31st March	416	431	439	870	301	289	590
30th June	398	529	456	985	321	219	540
30th September	381	469	491	960	352	328	680
31st December	408	426	494	920	491	439	930
Total	1,603	1,855	1,880	3,735	1,465	1,275	2,740
Suburbs—							
31st March	181	528	498	1,026	256	242	498
30th June	162	606	591	1,197	249	211	460
30th September	206	583	599	1,182	240	225	465
31st December	181	600	614	1,214	387	370	757
Total	730	2,317	2,302	4,619	1,132	1,048	2,180
Country Districts—							
31st March	851	2,451	2,243	4,694	1,000	589	1,589
30th June	822	2,592	2,342	4,934	1,007	614	1,621
30th September	746	2,617	2,471	5,088	939	487	1,426
31st December	820	2,592	2,500	5,092	1,095	580	1,675
Total	3,239	10,252	9,556	19,808	4,041	2,270	6,311
New South Wales—	: 08	M. BARKY	LED HOL			/	
31st March	1,448	3,410	3,180	6,590	1,557	1,120	2,677
30th June	1,382	3,727	3,389	7,116	1,577	1,044	2,621
30th September	1,333	3,669	3,561	7,230	1,531	1,040	2,571
31st December	1,409	3,618	3,608	7,226	1,973	1,389	3,362
Total	5,572	14,424	13,738	28,162	6,638	4,593	11,231

MARRIAGES.

The Marriages of the Colony for the year 1880 numbered 5,572. Of these 1,603 or 28.77 per cent. were celebrated in Sydney, 730 or 13.10 per cent. in the Suburbs, and 3,239 or 58.13 per cent. in the Country Districts.

(B.)

Table showing the number of Marriages registered in the Colony of New South Wales during each Quarter of the years 1871 to 1880.

	Popula the n	nated tion at niddle e year.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	79. 79. 79. 79. 102. 79. 102. 79. 102. 79. 102. 79. 102.	320 3745 305 3000 316 3213 277 324 3269 321 3235 339 3056 358 3603 341 455 416	325 256 346 339 324 349 344 386 350 398	316 264 299 306 297 296 350 350 342 381	255 230 297 302 287 298 310 324 384 408	1,216 1,055 1,258 1,224 1,232 1,264 1,343 1,418 1,417 1,603	15.28 13.23 15.15 14.19 13.72 13.55 13.81 13.89 13.17 14.13
	being the	3,317	3,417	3,201	3,095	13,030	fi ybama
Suburbs	72	,004 ,160 ,738 ,738 ,281 ,80 ,119 ,872 ,014 ,114 ,833 ,226 ,226 ,861 ,171	47 71 65 81 114 101 157 149 187 162	60 65 69 77 101 117 125 172 183 206	61 77 92 75 109 132 160 153 165 181	214 286 316 313 426 463 556 632 749 730	3.88 4.52 4.80 4.58 5.99 6.26 7.21 7.81 8.78 8.12

(B.)—continued.

per cell		1810. Pay confe	Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
		[1871	374,504	657	661	630	575	2,523	6.73
		1872	384,777	679	648	613	644	2,584	6.71
		1873	400,479	729	710	685	686	2,810	7.01
		1874	415,076	689	729	707	68 I	2,806	6.74
Country Dist	tricts	J 1875	433,264	786	731	740	690	2,947	6.80
Country Disc		1876	450,025	832	713	687	671	2,903	6.45
		1877	469,163	791	773	777	754	3,095	6.58
		1878		812	828	815	812	3,267	6.63
		1879	519,190	812	813	847	753	3,225	6.51
		[1880,	547,426	851	822	746	820	3,239	5.92
				7,638	7,428	7,247	7,086	29,399	
		(1871	509,048	1,023	1,033	1,006	891	3,953	7.76
		1872	527,682	1,057	975	942	951	3,925	7.44
		1873	549,217	1,135	1,121	1,053	1,075	4,384	7.98
		1874		1,046	1,149	1,090	1,058	4,343	7.61
New South	Wales	J 1875		1,212	1,169	1,138	1,086	4,605	7.75
2.011 Doctor	Trace minimum	1070		1,266	1,163	1,100	1,101	4,630	7.21
		1877		1,244	1,274	1,252	1,224	4,994	7.76
		1878	10.0	1,328	1,363	1,337	1,289	5,317	7.87
		1879		1,367	1,350	1,372	1,302	5,391	7.57
		(1880	750,742	1,448	1,382	1,333	1,409	5,572	7.42
			. 14	12,126	11,979	11,623	11,386	47,114	

The number of Marriages celebrated during the year 1880 and nine preceding years will be seen Marriages of Denominations. on reference to the preceding Table.

(C.)

Denomination.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.
Church of England	1,232	1,381	1,547	1,572	1,618	1,759	1,869	2,098	2,182	2,25
Roman Catholic	885	836	992	837	953	921	990	1,009	982	1,02
Presbyterian	648	827	914	886	906	761	854	821	722	76
Wesleyan	364	397	462	518	502	487	509	556	605	61
Primitive Methodist	60	73	50	60	93	IOI	IIO	94	III	IC
Congregationalist	99	148	164	180	186	232	243	291	331	36
Baptist	30	51	44	52	46	39	70	89	90	9
Christian Israelite										
Unitarian	4	3	3	I	I			I	I	
Hebrew	IO	6	10	IO	II	14	20	20	22	I
Protestant Episcopal			2	5	16	16	3	7	2	
Free Church of England	395				*****					
German Evangelical	4	9	7	14	17	19	20	II	13	
Christians	3	3			4	4	3	II	7	
Welsh Church									I	
Free Christian Church					2	2				
Registrars' Offices	210	101	179	208	250	275	303	309	322	31
registrars offices	219						3-3	3-9	3	J-
Total	3,953	3,925	4,384	4,343	4,605	4,630	4,994	5,317	5,391	5,57

The following figures give the percentages which the number of marriages celebrated by each Denomination and by Registrars bear to the total number of marriages:—

				,	
Church of England			 • • •		 40.42
Roman Catholic			 		 18.32
Presbyterian			 		 13.78
Wesleyan			 		 11.11
Congregational			 		 6.53
Primitive Methodist			 		 1.81
Baptist	all bri		 		 1.68
Hebrew		08	 		 0.30
German Evangelical			 		 0.16
Christian			 		 0.16
Protestant Episcopal			 		 0.03
Registrars			 		 5.70

100.00

MARRIAGE Table of Increase and Decrease.

Denomination.	1879.	1880.	1879. Per cent.	1880. Per cent.	Increase per cent.	Decrease per cent.
Church of England	2,182	2,252	40.47	40.42		0.02
Roman Catholic	982	1,021	18.31	18.35	0,11	
Presbyterian	722	768	13'39	13.48	0°39	
Wesleyan	605	618	11.55	11.00		0,13
Primitive Methodist	III	IOI	2.06	1.81		0'25
Congregationalist	331	364	6.14	6.53	0.39	
Baptist	90	93	1.67	1.67		
Hebrew.	22	17	0'40	0,31		0.00
Protestant Episcopal	2	2	0,03	0.04	0,01	
German Evangelical	13	9	0'24	0.19		0.08
Christians	-3	9	0,13	0.19	0'03	
Unitarian	, T	9	0.05			0'02
Welsh Church	T		0.05			0'02
Registrars' Offices	322	318	6.00	5.41		0.50
	5,391	5,572	100,00	100,00	0.93	0.03

Bachelors and Spinsters: During the year 1880 there were 11,144 persons who entered into the state of matrimony. Of this number 5,065 were bachelors and 5,080 were spinsters. The number of widowers was 507, and of widows 491. One divorced woman was re-married.

Table of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Woman.
SydneySuburbs Country Districts	730	1,440 645 2,980	1,448 656 2,976	163 85 259	154 74 263		I
Total	5,572	5,065	5,080	507	491		I

Minors, &c.

There were 1,671 persons married during the year under the age of 21 years. Of these, 126 were males and 1,545 were females. The percentage of these persons to the total number married in the Colony is 14.81. In Sydney the percentage is 11.54, in the Suburbs 10.90, and in the Country Districts 17.63. Minors who were unable to affix their signatures to the Marriage Registers numbered 94, viz., 12 males and 82 females. Of the total number of minors married there were 5.62 per cent. who did not sign their names.

TABLE of Minors.

	No. of		Minors.	
	No. of Marriages.	Male.	Female.	Total.
Sydney Suburbs Country Districts	1,603 730 3,239	36 12 78	334 147 1,064	370 159 1,142
Total	5,572	126	1,545	1,671

Table of Minors and Marks.

	Males.	Females.	Total.
Sydney Suburbs Country Districts		11 1 70	16 1 77
Total		82	94

During the year 1880 there were 743 persons who signified their consent to their marriage by Marks. affixing their marks to the records. This shows a decrease of 75 persons on the previous year, and gives a percentage of 6.66 to the total number of persons married.

	No. of		Signatures.			Marks.		Marks
HOLL MAN HILDON WOLL	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.	per cent.
Sydney	730	1,520 703 3,011	1,475 699 2,993	2,995 1,402 6,004	83 27 228	128 31 246	211 58 474	7.04 4.13 7.89
Total	5,572	5,234	5,167	10,401	338	405	743	

BIRTHS.

The number of births registered in the year 1880 was 28,162, comprising 14,424 males and 13,738 females, so that male births formed 51.22 per cent. and female births 48.78 per cent. of the whole.

The increase on the previous year in the number of births is 1,229; the number of births registered in the City of Sydney was 3,735, or 13:26 per cent. of the total number; in the Suburbs 4,619, or 16:40 per cent.; and in the Country Districts 19,808, or 70:34 per cent.

(D.)

Table showing the number of Births registered in the Colony of New South Wales during each Quarter of the years 1871 to 1880.

		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	79,540- 79,745 83,000 86,213 89,796 93,269 97:235 102,056 107,603 -	724 700 760 762 748 838 818 846 857	752 729 755 775 858 865 796 851 943 985	802 727 826 824 797 873 896 956 1,007 960	702 723 724 760 759 734 889 831 907 920	2,980 2,879 3,065 3,121 3,162 3,310 3,399 3,484 3,714 3,735	37.48 36.99 36.92 36.20 35.21 35.48 34.95 34.13 34.51 32.92
		7)2627	7,923	8,309	8,668	7,949	32,849	
Suburbs	1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	55,004 63,160 65,738 68,281 71,119 73,872 77,014 80,833 85,226 89,861	632 580 696 637 685 721 719 854 955 1,026	652 612 700 713 740 772 821 900 1,009	666 659 710 729 785 832 868 1,014 1,130	651 585 657 708 698 733 838 906 1,053 1,214	2,601 2,436 2,763 2,787 2,908 3,058 3,246 3,674 4,147 4,619	47.28 38.56 42.03 40.80 40.89 41.39 42.15 45.45 48.66 51.40
			7,505	8,116	8,575	8,043	32,239	
Country Districts	[1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	374,504 384,777 400,479 415,976 433,264 450,025 469,163 492,427 519,190 547,426	3,521 3,687 3,755 3,824 3,893 4,091 4,083 4,262 4,419 4,694	3,537 3,624 3,509 3,903 4,113 4,048 4,220 4,414 4,639 4,934	3,903 3,941 4,202 4,331 4,282 4,505 4,657 5,006 5,127 5,088	3,601 3,683 4,150 4,212 4,170 4,286 4,246 4,488 4,887 5,092	14,562 14,935 15,616 16,270 16,458 16,930 17,206 18,170 19,072 19,808	38.88 38.91 39.11 37.98 37.62 36.67 36.89 36.73 36.18
			40,229	40,941	45,042	42,815	169,027	
New South Wales	1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	509,048 527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019 750,742	4,877 4,967 5,211 5,223 5,326 5,650 5,620 5,962 6,231 6,590	4,941 4,965 4,964 5,391 5,711 5,685 5,837 6,165 6,591 7,116	5,371 5,327 5,738 5,884 5,864 6,210 6,421 6,976 7,264 7,230	4,954 4,991 5,531 5,680 5,627 5,753 5,973 6,225 6,847 7,226	20,143 20,250 21,444 22,178 22,528 23,298 23,851 25,328 26,933 28,162	39'57 38'37 39'04 38'87 37'92 37'75 37'05 37'82 37'51
			55,657	57,366	62,285	58,807	234,115	

Illegitimates.

The illegitimate births of the Colony for the year 1880 numbered 1,226, as against 1,215 in the previous year. The percentage which these births bear to the total number of births is 4.35. In the City of Sydney the percentage of these births is 11.00, in the Suburbs 3.25, and in the Country Districts 3.36.

(E.)

Table showing the number of Children born out of Wedlock in the Colony of New South Wales, from 1st January, 1871, to 31st December, 1880.

Year.	Sydney.			Suburban.			Co	untry Distri	icts.	Total.		
rear.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
	743	80			1	701.8	16	10	1788		Lare Lare a	
1871	105	101	206	30	31	61	259	256	515	394	388	782
1872	94	88	182	34	32	66	287	281	568	415	401	816
1873	98	IOI	199	42	44	86	293	311	604	433	456	889
1874	117	124	241	40	48	88	305	301	606	462	473	935
1875	132	128	260	41	44	85	321	281	602	494	453	947
1876	170	136	306	43	45	88	309	247	556	522	428	950
1877	161	144	305	34	43	77	315	292	607	510	479	989
1878	165	152	317	54	54	108	317	279	596	536	485	1,021
1879	195	194	389	65	52	117	345	364	709	605	610	1,215
1880	204	207	411	69	81	150	351	314	665	624	602	1,226
	1,441	1,375	2,816	452	474	926	3,102	2,926	6,028	4,995	4,775	9,770

(F.)

Table showing the number of Triplets and Twins born in the Colony of New South Wales, from 1st January, 1871, to 31st December, 1880.

Noilvilla Van on Francisco		Trip	olets.			Tv	vins.	
Year.	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
EA'68 1 080.0 201 201 201		No. of			7.004			
1871	I	2	I	3	194	198	190	388
1872	5	7	8	15	179	173	183	356†
1873	I		3	3	189	204	173	377*
1874	4	9	3	12	177	182	171	353*
1875	I		3	3	200	180	219	399*
1876	I	I	I	2*	195	188	193	381
1877					209	222	193	4158
1878	2	3	T	4†	196	195	197	3927
1879	2	T	2	6	203	206	198	404
1880					224	230	218	448
61812 61614 699'8	17	23	25	48	1,966	1,978	1,935	3,913

* One still-born.

† Two still-born.

‡ Nine still-born.

§ Three still-born.

DEATHS.

The total number of deaths registered in the Colony during the year 1880 was 11,231, being an increase of 1,031, or 1.11 per cent. on the number of deaths for the previous year. Male deaths numbered 6,638, and female deaths 4,593, or 59.10 and 40.90 per cent. respectively to total deaths. There were 2,740 deaths registered in Sydney, 2,180 in the Suburbs, and 6,311 in the Country Districts, which is a percentage in each division of 24.40, 19.41, and 56.19 respectively. As compared with the previous year, the increase amounted to 20.91 per cent. for the City, 32.28 per cent. for the Suburbs, and 0.40 for the Country Districts.

(G.)

Table showing the number of Deaths registered in the Colony of New South Wales, during each Quarter of the years 1871 to 1880.

		Estimated population at the middle of each year.	31 March.	30 June.	30 Sept.	30 Dec.	Total.	Ratio per 1,000 living.
Sydney	(1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	79,540 79,745 83,000 86,213 89,796 93,269 97,235 102,056 107,603 113,455	332 477 468 460 900 758 525 644 624 590	362 398 430 401 560 699 519 584 530 540	439 438 408 492 562 565 419 540 468 680	450 497 494 724 651 469 537 553 644 930	1,583 1,810 1,800 2,077 2,673 2,491 2,000 2,321 2,266 2,740	19'90 22'69 21'68 24'09 29'76 26'70 20'57 22'74 21'05 24'24
		600	5,778	5,023	5,011	5,949	21,761	

		(u.)—con					
	Estimated population at the middle of each year	31 March.	30 June.	30 Sept.	30 Dec.	Total.	Ratio per 1,000 living.
Suburbs Suburbs [1871] [1872] [1873] [1874] [1875] [1876] [1877] [1876] [1876] [1876] [1876] [1876] [1877] [1876] [18	55,004 63,160 65,738 68,281 71,119 73,872 77,014 80,833 85,226 89,861	182 244 213 298 533 516 331 414 405 498	169 184 248 291 332 595 375 481 428 460	247 192 249 262 295 332 258 349 346 465	285 295 287 348 487 332 357 407 469 757	883 915 997 1,199 1,647 1,685 1,321 1,651 1,648 2,180	16.05 14.48 15.16 17.56 23.15 22.81 17.15 20.42 19.33 24.26
Country Districts 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	374,504 384,777 400,479 415,976 433,264 450,025 469,163 492,427 519,190 547,426	988 1,418 1,326 1,350 1,749 1,738 1,987 1,895 1,828 1,589	949 1,134 1,180 1,409 1,879 1,954 1,765 1,953 1,665 1,621	969 1,110 1,169 1,309 1,452 1,739 1,450 1,447 1,418 1,426	1,035 1,081 1,139 1,308 1,371 1,586 1,346 1,435 1,675	3,941 4,743 4,814 5,376 6,451 7,017 6,548 6,791 6,286 6,311	10.52 12.32 12.02 12.92 14.89 15.59 13.95 13.77 12.10
New South Wales 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	509.048 527,682 549,217 570,470 594,179 617,166 643,412 675,316 712,019 750,742	15,868 1,502 2,139 2,007 2,108 3,182 3,012 2,843 2,953 2,857 2,677	15,449 1,480 1,716 1,858 2,101 2,771 3,158 2,659 3,018 2,563 2,621	1,3,489 1,655 1,740 1,826 2,063 2,309 2,636 2,127 2,336 2,232 2,571	1,3,472 1,770 1,873 1,920 2,380 2,509 2,387 2,240 2,456 2,548 3,362	58,278 6,407 7,468 7,611 8,652 10,771 11,193 9,869 10,763 10,200 11,231	12.58 14.15 13.85 15.16 18.12 18.13 15.34 15.94 14.32 14.96
	112521	25,280	23,945	21,495	23,445	94,165	

1998J4 INFANTILE MORTALITY.

From the total number of deaths for the year we find that 4,910, or 43.71 per cent., were those of children under the age of five years. The increase on the previous year is 0.88 per cent., and the average for the last ten years is 43.02 per cent. The percentage of these deaths to those of the year, in Sydney, Suburbs, and Country Districts, is 47.19, 58.53, and 37.09 respectively. The increase on the previous year for Sydney is 7.52 per cent., and 3.80 per cent. for the Suburbs. The Country Districts show a decrease of 3.76 per cent.

(H.) Infantile Mortality.

		Total	Percentage of total		Sydney	7.	_	Suburb	s.	Co	ountry Dis	stricts.
Year.	Total Deaths of the year.	Deaths under 5 years.	Deaths under 5 years to Deaths of the year.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths
1871	6,407	2,705	42.21	1,583	743	46.93	883	487	55.15	3,941	1,475	37.42
1872	7,468	3,203	42.91	1,810	815	45.02	915	503	54.97	4,743	1,885	39.74
1873	7,611	2,924	38.42	1,800	719	39.94	997	510	51.15	4,814	1,695	35.62
1874	8,652	3,768	43.55	2,077	929	44.72	1,199	672	56.04	5,376	2,167	40:31
1875	10,771	4,958	46.03	2,673	1,264	47.29	1,647	913	55.43	6,451	2,781	43.10
1876	11,193	4,670	41.72	2,491	1,024	41.10	1,685	917	54.42	7,017	2,729	38.89
1877	9,869	4,293	43.49	2,000	815	40.75	1,321	723	54.73	6,548	2,755	42.07
1878	10,763	4,884	45.37	2,321	1,022	44.00	1,651	920	55.72	6,791	2,942	43.32
1879	10,200	4,369	42.83	2,266	899	39.67	1,648	902	54.73	6,286	2,568	40.85
1880	11,231	4,910	43.71	2,740	1,293	47.19	2,180	1,276	58.53	6,311	2,341	37.09
	94,165	40,684		21,761	9,523		14,126	7,823		58,278	23,338	
Mean of 10 years	9,416	4,068		2,176	952		1,412	782		5,827	2,333	

Taking the total number of deaths of children under 5 years of age in the Colony, we find the percentage of these deaths to the total deaths at each year of age to be as follows:—

Under 1 year	 	 	 	28.49
From 1 to 2 years	 	 	 	9.22
,, 2 ,, 3 ,,	 	 	 	3.04
,, 4 ,, 5 ,,				

The following figures give the rate which infant mortality bears to the total number of deaths for each year from 1 to 5 years, in Sydney, Suburbs, and Country Districts:—

		Sydney.	Suburbs.	Country.
Under 1 year	 	 28.65	 37.20	 25.25
From 1 to 2 years	 	 10.84	 13.90	 6.91
,, 2 ,, 3 ,,	 	 4.01	 3.25	 2.53
,, 3 ,, 4 ,,	 	 2.33	 2.00	 1.58
,, 4 ,, 5 ,,	 	 1.35	 1.74	 0.81

TABLE showing the BIRTHS and DEATHS of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1880, distinguishing the Deaths under 5 years of age.

			D: 41				Dea	ths.			
Wards.	Population Census, 1871.		Births.		Ţ	Under 5 years	S.		Above 5 year	S.	Total Deaths.
		Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
1. Gipps 2. Bourke 3. Brisbane 4. Macquarie 5. Cook 6. Fitzroy 7. Phillip 8. Denison	5,257 7,269 7,945 14,694 12,000	188 49 108 126 539 258 300 287	200 56 118 129 506 232 330 309	388 105 226 255 1,045 490 630 596	78 19 49 50 163 80 118	64 13 34 51 171 68 107	142 32 83 101 334 148 225 228	60 301 53 45 124 99 50	44 166 35 48 121 85 70 74	104 467 88 93 245 184 120 146	246 499† 171 124 579 332‡ 345§
Totals		1,855	1,880	3,735	661	632	1,293	804	643	1,447	2,740

* Exclusive of the Islands in Port Jackson. † 337 of these deaths occurred in the Sydney Infirmary, and 68 in the Hyde Park Asylum. ‡ St. Vincent's Hospital, 39 deaths; Darlinghurst Gaol, 13; and Lunatic Reception House, 3. § Benevolent Asylum, 99.

	Population, Census, 1871.	Births.	Deaths under 5 years.	Deaths.
1. Sydney 2. Balmain 3. Glebe. 4. Newtown 5. Redfern. 6. Waterloo 7. Paddington Randwick Waverley Woollahra. 8. Concord. 9. St. George 0. St. Leonards Manly	76,159 6,886 5,721 7,922 8,092 6,306) 11,411 3,520 5,340 5,126 {	3,735 677 414 673 625 516 462 30 88 70 293 409 325 37	1,293 166 135 182 172 150 159 9 32 17 93 89 64	2,740 264 241 312 280 232 280 16 50 36 159 166

ř	۰	-	۰	•	•	

																	Pe	rcentag	ge of—																			
Ward.		Death	s unde	er 5 yea	rs to t	otal De	eaths i	n each	Ward.			Dea	aths ur	nder 5	years	to Birt	hs in e	each W	ard.			7	Fotal I	Deaths	to Bir	ths in	each '	Ward.				Total I	eaths (Cen	to Pop sus, 18	ulation 861 and	n in ea	ch Wa	rd.
	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	872. 18	73. 187	1. 1875	1876.	1877.	1878.	879. 188
1. Gipps	. 57.05	48.48	45.39	52.34	56.13	42.13	51.40	43.30	38.17	57.72	22.82	22.47	20.96	29.71	37:37	23.04	22.66	24.25	16.94	36.60	40.00	46:34	46.17	56.76	66.58	54.68	44.09	56.00	14.39	33.40	1.75	.84 1	81 2.38	3 2.82	2.41	2.00	2.50 2	:07 2:7
2. Bourke																																						
3. Brisbane																																						
Macquarie .																																						
5. Cook																																						
3. Fitzroy																																						
7. Phillip																																						
8. Denison																																						

* The Infirmary is situated in Bourke Ward.

(J.)

																	Perce	ntage o	of																			
Ward.	I	Deaths	under	5 years	s to tot	al Dea	ths in	each D)istrict			Deat	ths und	ler 5 y	ears to	Births	s in ea	ch Dist	trict.			Т	otal D	eaths	to Birt	ths in	each D	oistric	t.		Т	otal I	eaths (Ce	to Pop	ulatio 861 ar	n in ea	ch Dis	strict.
	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1871.	1872.	873. 18	74. 187	5. 187	6. 1877	. 1878.	1879. 188
. Sydney	46.94	45.02	39.94	44.72	47.29	41.10	40.70	44.00	39.67	47.19	24.93	28.30	23.49	29.76	39.97	30.93	23.24	29.33	24 20	34.62	53.12	62.86	58.72	66.55	84.53	75.25	58.84	66.62	61.01	73.09	2.07	2.37 2	36 2	72 3.5	3.27	2.62	3.05	2.97 3.5
2. Balmain	58.06	61.54	57.62	64.62	61.43	63.05	52.94	64.35	55.03	62.41	17.76																									2.22	3.14	2.74 3.8
Glebe																																						
. Newtown																																						
. Redfern																																						
. Waterloo		66.94																																				3.12 3.
. Paddington	54.60	52.72	44.56	51.04	54.06	54.64	52.90	55.56	54.14	56.80																												
Randwick.																		23.06	25.00	30.00								54.76	50.00	53.33						1.69	2.19	2.15 3.
Waverley		18.18	40.00	33.33	32.26	20.68	36.84	43.48	53.25	56.86		18.18	13.33	17.64	37.03	13.04	18.18	22.95	18.56	30.36			33.33	53.00		63.04	49.35	47.54	41.42	56.82			1.0	1.79	1.68			
Woollahra)												,																								1		
. Concord	43.90	44.67	50.00	40.10	44.70	55.00	58.25	59.17	55.73	58.49	12.58	16.28	15.33	13.12	23.89	37.42	32.08	35.86	26.98	31.74	28.67	37.20	30.26	32.50	53.46	68.10	55.08	60.61	48.41	54.27	1.16 1	1.33	30 1	7 2.4	3.15	2.92	3.41	3.46 4
. St. George																																						
. St. Leonards)	
Manly								40.00	56.25	32.00								10.81	32.14	21.62								27.03	57.14	67.59							2.28	2.12 2.8

^{*} Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra a Sub-district of Paddington, 1st August, 1878; Manly a Sub-district of St. Leonards, 1st July.

Of the various causes of death during the year 1880, it will be seen that Zymotic diseases form 19·39 per cent. of the total number of deaths. These figures are 1·24 per cent. lower than those of the previous year; the average for the past ten years being 22·75 per cent. Scarlatina, Measles, Diphtheria Dysentery, &c., formed 17·09 per cent. Under the class styled Constitutional, of which Gout, Dropsy, Cancer, Phthisis, Tubercular Diseases, &c., form part, we find that 13·05 per cent. of deaths occurred. This percentage is about the same as that for the previous year, and 0·46 per cent. higher than the average of the last ten years. The class called Local supplies 41·37 per cent. of deaths, which is 1·56 per cent. in excess of the percentage for the previous year, and 2·53 per cent. over the average of the last ten years. The principal orders under this class are Nervous and Respiratory, which produced 13·34 and 13·79 per cent. respectively. Diseases under the head of Developmental form 17·61 per cent. of total deaths, Old Age producing 6·24 per cent., and Atrophy and Debility 6·00 per cent.; children's complaints forming 4·40 per cent. The percentage for the year is nearly the same as that for the preceding year, and a shade under the ten years' average. Deaths from Violence formed 7·91 per cent. of the total number of Deaths.

(K.)

		(IX.)								
	1871. Per- centage.	1872. Per- centage.	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.	1879. Per- centage.	1880. Per- centage.
CLASS I.—ZYMOTIC DISEASES.										
Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c 2.—Enthetic Diseases—Syphilis, Gonorrhæa,	16.28	19.09	15.2	20.09	27.12	26.36	19.85	22.66	18.37	17.09
&c	0.58	0.36	0.46	0.34	0.53	0.44	0.56	0,51	0.31	0.36
Delirium Tremens, &c	1.19	I,50	1.28 0.58	0.45	0.39	2.31 0.42	2.25 0.29	2.58 0.46	1.23 0.45	0.39
	18.38	21.03	17.85	22°38	29.46	29.23	23.52	25.61	20.63	19.39
CLASS II.—CONSTITUTIONAL.										
Order I.—Diathetic Diseases — Gout, Dropsy, Cancer, &c	4.03	4.09	4.52	3.69	3.54	3.28	3.48	3.39	3.38	3.79
Hydrocephalus, &c	9.54	9.25	8.78	8.74	8.55	7.83	8.67	8.41	9.99	9.56
CLASS III.—LOCAL.	13.52	13.61	13.02	12.43	11.46	11.41	12.45	11.80	13.37	13.05
Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease,										
&c	15.36	15.33	15.20	14.62	12,13	11.22	12.62	13.56	13.23	13.34
2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c	5.85	2.01	5.99	5.73	4.61	4.79	4.84	4.99	5.05	5.34
Asthma, Pleurisy, &c	10.47	9.35	10.87	11.34	10.13	10,00	10.87	10.03	10.53	13.79
nitis, Hernia, &c	7.10	6.81	7.12	6.31	6.64	6.36	7.27	7.07	7.35	6.24
&c	1.64	1,45	1.60	1.68	1.62	1.80	1.05	1.43	2'32	1.87
Diseases, &c	0.34	0.47	0.5	0.12	0.51	0.51	0.08	0.04	0.11	0.15
&c	0.14	0,15	0.14	O.II	0.18	0.18	0,11	0,10	0.19	0.10
Disease, &c	0.10	0.53	0.06	0.13	0,10	0.50	0.19	0,15	0.10	0.18
CLASS IV.—DEVELOPMENTAL.	41.09	38.44	41.26	40.09	35.62	35.51	37.87	37.37	39.81	41.37
Order 1.—Children—Cyanosis, Spina-Bifida,										
Teething, &c		5.06	4.32	4.36	4.68	4.53	6.58	5.63	4.89	4.40
2.—Old People—Old Age, &c.	5.26	0.49	6.42	2.13	0.98	5.45	2.08	5.90	6.46	6.24
4.—Nutrition—Atrophy, Debility	6.54	6.52	7.06	6.52	5.57	4.98	2.21	5.03	5.60	6.00
CLASS V.—VIOLENCE.	17.22	17.34	18.24	16.49	16.19	15.92	17.90	17.36	17.67	17.61
Order 1.—Accident or Negligence — Fractures Contusions, Burns, Drowning Suffocation, Wounds, &c	,	7.91	7.82	6.84	6.03	6:24	6.72	6.83	h:17	6.9=
2.—Wounds in Battle—Gunshot Wounds.						6.34	0.72		7.41	6.87
3.—Homicide—Murder and Manslaughter. 4.—Suicide—Poison,Drowning,Hanging,&c		0.22	0.16	0.58	0.12	0.54	0.51	0'21	0.19	0.58
5.—Execution—Hanging	0.03	0.02	0.46	0.65	0.48	0.42	0.01	0.53	0.45	0.03
Unclassified—Violent Deaths					0.02					0.13
	9.48	8.80	8.57	7.80	6.74	7.03	7.55	7.28	8.03	7.91
Unspecified	0.26	0.48	0.43	0.24	0.29	0.00	0.96	0.28	0.49	0.67

Table showing the Deaths of all Ages from 1 to 100 years, in Sydney, Suburbs, and the Country Districts for the year ended 31st December 1880.

	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years & upwards.	Age unspecified. Grand Total.
Males— Sydney Suburbs Country Districts	405 433 911	175		35 29 51	18 19 21	28 38 91	24 15 80	32 18 89	47 20 142	55 22 139	68 27 129	80 37 157	95 35 207	84 29 180	64 32 187	43 28 157	60 40 285	37 32 225	41 24 226	18 21 163	10 8 148	7 7 40	3 1 16		3	8 1465 3 1132 48 4041
Total	1749	572	184	115	58	157	119	129	209	216	224	274	337	293	283	228	385	294	291	202	166	54	20	7	3	59 6638
Females— Sydney Suburbs Country Districts	388	128	55 33 69	14	19 19 30	23 26 91	12 20 52	33 24 77	40 41 88	54 38 80	49 37 92	59 40 106	55 29 94	43 30 71	54 25 47	40 27 52	46 35 108	42 26 86	35 24 76	29 20 64		5 8 15	3 1 7	1		1 1275 2 1048 7 2270

The first of the following tables gives the percentage which certain specified causes of death bear to the total number of deaths registered in Sydney, Suburbs, and Country Districts respectively:—

	Sydney.	Suburbs.	Country.		Sydney.	Suburbs.	Country
Measles	5.52	3.55	0.80	Epilepsy	0.62	0.60	0.88
Scarlatina	0.60	0.56	0.44	Convulsions	5.73	6.00	6.30
Diphtheria	0.30	1.37	2.00	Brain Disease, &c.	1.64	1.35	1.14
Croup	0.73	1,10	1.56	Heart Disease, &c.	4.67	4.72	5°25
Whooping-cough	1.46	2'20	0.23	Aneurism	0,30	0.00	0.22
Typhoid and Infantile Fever	2'00	1.26	2.34	Insanity	0.02	0.35	0.32
Erysipelas	0.22	0.18	0.36	Bronchitis	5.40	6.46	4.85
Metria	0'22	0.53	0.12	Pleurisy	0.40	0.50	0.32
Influenza	0.07	0.59	0.2	Pneumonia	4.00	4.00	4.01
Dysentery	0.84	1,10	1.03	Congestion of Lungs	2.02	3.44	1.20
Diarrhœa	6.35	6.10	2.74	Asthma	0.40	0.20	0.28
Cholera	0.40	1,10	0.22	Lung Disease, &c	0.40	0.53	0.41
Remittent Fever	0.04	0.02	0.12	Gastritis	0.80	0.10	0.55
Rheumatism	0'40	0.53	0.23	Enteritis	2.11	2.84	1.74
Syphilis	0.40	0.18	0.11	Peritonitis	0.62	070	0.57
Want of Breast-milk	0°22	0.20	0.73	Hepatitis	0.22	0.82	0.46
Alcoholism	1.32	0.41	0.20	Liver Disease, &c.	0.87	1.02	1.30
Thrush	0.55	0.18	0.36	Nephria	1.67	0.73	0.60
Dropsy	1.40	1.04	1.03	Kidney Disease	0:55	0.56	0.27
Cancer	1,00	1.40	2.44	Premature Birth	1,00	2.60	2.31
Tumour	0.30	0.53	0.38	Teething	1.40	2.25	1.65
Scrofula	0,11	0.00	O.II	Childbirth (See Metria)	0.73	0.82	1.07
Tabes Mesenterica	1.86	1,05	1.04	Old Age	2.20	2.66	0,11
Phthisis	7.74	8.03	6.33	Atrophy and Debility	6.31	10.82	4.50
Hydrocephalus	0.55	0.53	0.38	Fractures and Contusions	2.43	0.60	3.01
Cephalitis	1.03	1.40	1.33	Burns and Scalds	0.30	0.09	1.12
Apoplexy	1.41	1.42	1.47	Sunstroke	0.07	0.02	0.36
Paralysis	1.58	0.20	2.01	Drowning	0.30	0.64	3.01

The following is a decennial table, and gives the mean number of deaths registered in Sydney in each month of the year, as also the mean temperature and height of barometer. Also mean depth of rain, and number of days in which rain had fallen, and the mean amount of ozone.

(L.)

	M. of Dootha	Mean	Mean Height	Rai	n.	Mean amoun
Period.	No. of Deaths.	Temperature.	Barometer.	Depth.	Days.	of Ozone.
				inches.		
Тапиони	224	71.7	29.972	2.95	13	5.6
January	176	71.0	30.009	6.73	17	5.8
February	178	69.2	30.076	4.48	15	5.7
March	167	64:4	30.125	5.21	13	6.1
April	150	58.4	.066	7.09	15	6.1
May	165	54.1	.120	5.21	10	6.0
June	100	52.4	153	4.36	12	6.3
July	170	55.5	112	2.66	9	6.6
August	100	58.9	.067	4:40	14	6.7
September	170	63.1	.029	3.48	14	6.5
October		66.8	29.940	3.47	12	6.4
November	192	70.5	.926	1.99	11	5.8
December	224	700	320	100		
Mean of 12 months	181	63.00	30,133	4 33	13	6.1

I have the honor to be, Sir,
Your obedient servant,
EDWD. GRANT WARD,
Registrar General.

INDEX TO TABLES.

								PAG
irths—								
Quarterly Abstract (1880)								4
" (1871 to 1880)								7
Children out of Wedlock								8
Triplets and Twins								8
In the Colony								15
In each District								15
In each Ward of the City, in proport	ion to I	eaths,	&c.					11
In each Suburban District								11
At Sea, Registered in the Colony								58
In each Ward of the City			*.* *					10
eaths—								
Quarterly Abstract (1880)								4
,, ,, (1871 to 1880)								8
In the Colony								15
In each District								15
In each Ward of the City, in proports						•••		11
In each Suburban District							•••	11
Infants (1871 to 1880)					• • • •			9
Males, at Ages, New South Wales, wi							•••	18
0:1 - 0 0 1		ases an		es	•••		•••	27
Subunban Didid	"		"				•••	
County D'. 1 ' 1	"		"				•••	36
Tomalas M. G. II W. 1	"		"			•••	•••	45
City of Calana	"		"				•••	21
Subunhan District	"		22				•••	30
Country Districts	22		,,,				•••	39
Both Sexes, New South Wales,	"		"					48
0.1 6 0 1	"		"				•••	24
Salambar D' I ' I	"		"		• • • •			33
	"		"				•••	42
" " " Country Districts, From each cause, in the City of Sydn	"		"					51
								55
Monthly Mortality					•••			54
At Sea, registered in the Colony		•••			•••			58
Mortality, Temperature, &c	1074 10		70 10	···				13
Diseases classified (1871, 1872, 1873, compared)	1874, 18	575, 18	76, 18	77, 187), and 1		19
In each Ward of the City			• (•					13 10
Deaths of all Ages (from 1 to 100 year	rs)							13
arriages—								
Quarterly Abstract (1880)								4
,, (1871 to 1880)								5
In the Colony								15
In each District								15
Denominations (1880)								17
" (1871 to 1880)								5
Registration Districts and District Re	gistrars							58
Temperature, Height of Barometer, R								00

APPENDIX.

A.

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during the Year ended 31st December, 1880.

	Marriages.		Births.			Deaths.	
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney	1,603	1,855	1,880	3,735	1,465	1,275	2,740
Suburban Districts	730	2,317	2,302	4,619	1,132	1,048	2,180
Metropolitan	2,333	4,172	4,182	8,354	2,597	2,323	5,920
Country Districts	3,239	10,252	9,556	19,808	4,041	2,270	6,311
	5,572	14,424	13,738	28,162	6,638	4,593	11,231

B.

Table showing the Marriages, Births, and Deaths registered in each District of the Colony of New South Wales, during the Year ended the 31st December, 1880.

			То	tal.		Births	š.				
District.	Population, Census, 1871.	Mar- riages.	Births.	Deaths.	Illegit	iding imate ths.	Illegit	timate	Dea	ths.	Excess of Births over Deaths.
					M.	F.	М.	F.	M.	F.	
I.—North-eastern. 1. Richmond River Lismore 2. Tweed River 3. Grafton Maclean 4. Macleay River Bellinger Nambucca 5. Port Macquarie 6. Manning River Barrington 7. Port Stephens 8. Dungog 9. Clarence Town 10. Paterson 11. Raymond Terrace 12. Maitland Greta 13. Morpeth 14. Patrick's Plains 15. Muswellbrook 16. Scone 17. Murrurundi	\$ 4,926 449 } 8,965 2,131 } 5,171 2,659 1,950 1,000 2,561 3,015		160 202 33 425 155 218 40 33 101 208 40 132 88 48 92 124 446 100 127 313 124 154 174	31 32 6 111 37 48 4 2 21 46 12 30 12 10 13 29 206 22 41 87 46 24 50	79 102 19 206 75 115 22 12 51 100 18 70 51 27 45 58 222 51 60 147 75 80 103 1,788	81 100 14 219 80 103 18 21 500 108 22 62 37 21 47 66 224 49 67 166 49 74 71	2 1 8 2 2 3 3 2 1 1 7 1 1 2 2 3 2	 8 2 3 1 1 1 2 8 1 2 8 1 4 43	17 21 6 61 222 33 3 16 27 7 24 9 6 7 15 106 9 22 53 26 16 16	14 11 50 15 15 15 19 5 6 3 4 6 14 100 13 19 34 20 8 16	129 170 27 314 118 170 36 31 80 162 28 102 76 38 79 95 240 78 86 226 78 130 124
II.—North Midland. 1. Tenterfield	2,349 } 2,648 2,366 } 9,706	$ \begin{array}{c} 24 \\ 23 \\ 13 \\ 35 \\ 63 \\ 25 \\ 15 \\ 6 \end{array} $	167 132 95 216 344 120 115	39 29 23 62 84 35 15	92 64 49 115 198 61 58	75 68 46 101 146 59 57 9	5 2 1 6 6 2 1	2 2 3 10 2 1	29 18 14 46 52 25 10 8	10 11 9 16 32 10 5	128 103 72 154 260 85 100 6
Total	17,069	204	1,208	300	647	561	23	23	202	98	908

B-continued.

Popularies				То	tal.		Birth	S.				
TITL—NORTH-WESTERN 1. Farmworth 1. Farmworth 2. Farmworth	District.	tion Census,		Dirtha	Dooths	Inclu Illegitima	iding. te Births.			Dea	aths.	of births over
1. Tanworth		10/1.		Diffus.	Deaths.	М.	F.	М.	F.	М.	F.	
1. Tanworth	III.—North-western.											
No.	1. Tamworth	3 6 806	1									
3. Warrished	Gunnedah)										
A. Casalis	Z. Nundle	,										
5. Dubbb	4. Cassilis	,										
Consamble	5. Dubbo			352		194						
T. McGology	6. Coonabarabran	} 2.219						4				
S. Poches	Coonamble)										
Condobolim		5,107										
9. Walgett		6,709								13	8	
10. Narnabri)	-	106		61						
Total	9. Walgett											
IVMetropolitiks 1.603 3,735 2,740 1,855 1,880 204 207 1,465 1,275 995 995 996		1,699	17	109			43					
1. City of Sydney		34,896	418	2,403	667	1,281	1,122	60	39	467	200	1,736
2. Balmain		76 159	1 603	3 735	2 740	1.855	1.880	204	207	1.465	1.275	995
3. Glebe	2. Balmain		,									
S. Reidern	3. Glebe	5,721	89	414								
6. Waterloo		1										
7. Paddington 1. April 255 462 280 217 245 8 3 137 143 182 Randwick 1. April 26 30 16 15 15 1 9 7 1. April 27 28 28 28 28 28 28 28		1										
Randwick 11,411 6 30 16 15 15 1 9 7 14		,										
Waverley		/										
S. Concord	Waverley	(11,411	/									
9. St. George	Woollahra	2 500	-								1	
10. St. Leonards	9 St George											
Total)										
V.—BAST MIDLAND. 1. Newcastle		5,126						1		13		
1. Newastle	Total	136,483	2,333	8,354	4,920	4,172	4,182	273	288	2,597	2,323	3,434
Lambton												
Wallsend											1	
2. Wollombi		18,667										
3. McDonald River		1.952										
5. Windsor 4,963 38 194 99 84 110 6 6 56 43 95 6. Richmond 3,083 15 124 40 60 64 2 6 16 14 84 7. Penrith 5,321 24 211 67 115 96 32 41 26 144 8. Parramatta 11,551 96 529 428 277 252 16 18 327 101 101 10. Liverpool 3,493 22 113 239 61 52 1 22 7 39 11. Campbelltown 1,570 16 78 39 42 36 1 22 17 39 12. Camden 4,032 21 117 37 11 46 3 1 23 14 80 YI.—Wist Milbland 63,258 538 3,274 1,641 1,677 1,597<	3. McDonald River				6	13	9			3	3	
6. Richmond	4. Brisbane Water											
7. Penrith	5. Windsor	,										
8. Parramatta	7. Penrith											
10. Liverpool												
11. Campbelltown	9. Ryde							2				10
12 Camden	10. Liverpool											
Total												
VI.—West Midland. Carcoar Carc												
VI.—West Midland. Carcoar Carc	Total	63,258	538	3.274	1,641	1.677	1.597	56		1.118	523	1.759
1. Carcoar												
2. Cowra		6,411	24	298		135	163		5	46	35	217
4. Bathurst 16,860 118 719 239 363 356 13 25 135 104 480 5. Sofala 2,821 4 76 32 32 34 2 3 17 15 44 6. Orange 7586 72 425 125 229 196 10 8 75 50 300 7. Wellington 3,354 50 254 68 129 125 5 9 48 20 186 8. Tambaroora 1 3,265 13 80 26 40 40 1 18 8 54 9. Mudgee 11,901 63 365 98 194 171 7 3 70 28 267 Gulgong 10. Rylstone 2,133 13 121 38 60 61 1 3 20 18 83 Total 60,887 422 2,981 874 1,504 1,477 55 67 533 341 2,107	2. Cowra							2			10	125
5. Sofala 2,821 4 76 32 32 44 2 3 17 15 44 6. Orange 7.586 72 425 125 229 196 10 8 75 50 300 7. Wellington 3,354 50 254 68 129 125 5 9 48 20 186 8. Tambaroora 3,265 13 80 26 40 40 1 18 8 54 9. Mudgee 11,901 63 365 98 194 171 7 3 70 28 267 Gulgong 10. Rylstone 2,133 13 121 38 60 61 1 3 20 18 83 Total 60,887 422 2,981 874 1,504 1,477 55 67 533 341 2,107 VII.—South-Eastern 1 4 4529 29	3. Hartley	5,165										
6. Orange	4. Bathurst											
7. Wellington	6. Orange											
8. Tambaroora 3,265 \$\begin{array}{c c c c c c c c c c c c c c c c c c c	7. Wellington			254	68							
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	8. Tambaroora	3.265										19
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Hill End											
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Gulgong	11,901	1 4									
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		2,133										
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Total	60,887	422	2,981	874	1,504	1,477	 55	67	533	341	2,107
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	VII.—South-eastern.											1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. Wollongong											
Burrawang 3 4,529 10 60 19 32 28 11 8 41 4. Shoalhaven 4,724 30 218 35 102 116 3 3 20 15 183 5. Ulladulla 1,652 8 73 11 35 38 7 4 62 6. Broulee 3,739 18 131 20 64 67 2 15 5 111 7. Eden 1,212 6 70 14 40 30 1 5 9 56 8. Bega 2,651 28 214 48 118 96 2 2 23 25 166												
4. Shoalhaven 4,724 30 218 35 102 116 3 3 20 15 183 5. Ulladulla 1,652 8 73 11 35 38 7 4 62 6. Broulee 3,739 18 131 20 64 67 2 15 5 111 7. Eden 1,212 6 70 14 40 30 1 5 9 56 8. Bega 2,651 28 214 48 118 96 2 2 23 25 166		4,529										
5. Ulladulla 1,652 8 73 11 35 38 7 4 62 6. Broulee 3,739 18 131 20 64 67 2 15 5 111 7. Eden 1,212 6 70 14 40 30 1 5 9 56 8. Bega 2,651 28 214 48 118 96 2 2 23 25 166		4,724										
6. Broulee	5. Ulladulla	1,652										
8. Bega	6. Broulee					64	67			15	5	111
	7. Eden											
Total	o. Dega	2,001		214	48	118	96	2	2	23	25	166
	Total	29,956	197	1,413	322	717	696	13	13	178	144	1,091

B—continued.

			To	otal.		Births					
District.	Population, Census 1871.	Mar- riages.	Births.	Deaths.	Incl	uding nate Births.		timate		eaths.	Excess of Births over Deaths.
					M.	F.	М.	F.	M.	F.	
VIII.—SOUTH MIDLAND.								1	1	1	
1. Braidwood	11,422	27	210	68	114	0.0	-	7	35	33	142
2. Cooma	4,383	33			114	96	5				228
3. Bombala	2,854	22	286	58	156	130	6	4	36	22	
4. Goulburn	,		142	34	72	70	2	2	23	11	108
5. Albury	13,756	119	670	202	384	286	22	9	120	82	468
	9,190	111	561	156	282	279	4	3	88	68	405
6. Gundagai	4 200	(17	191	38	106	85	6	1	27	11	153
Adelong	4,699	3 22	148	35	88	60	2	3	17	18	113
Cootamundra		(32	133	40	73	60	5	1	25	15	93
7. Tumut	3,321	26	129	39	56	73	2	1	24	15	90
8. Yass	6 ,600	5 34	194	55	109	85	3	3	31	24	139
Gunning	0,000	15	106	29	62	44	2	2	16	13	77
9. Queanbeyan	4,675	33	211	59	108	103	4	7	36	23	152
10. Burrowa		(21	155	42	81	74		i	20	22	113
Grenfell	3,865	24	125	40	64	61	3	1	22	18	85
Temora	0,000	(3	18	42	9	9			33	9	
11. Young		(52	278	83	141	137	7	5	52	31	195
Murrumburrah	5,924	10	87	24	43	44			12	12	63
Total	70,689	601	3,644	1,044	1,948	1,696	73	50	617	427	2,624
IX.—South-western.											
1. Deniliquin	2,714	37	100	01	88	60	0	1	-	95	07
2. Moama	901	8	168	81 21		80	3	1	56	25	87
3. Moulamein	557		63		29	34	•••	1	12	9	42
4 Polyanold		2	7	4	3	4	•••		3	1	3
4. Balranald	591	12	54	33	30	24		1	26	7	21
5. Bourke	1,508	{ 33	134	63	76	58	5	3	51	12	71
Cobar		5	14	2	10	4	•••			2	12
6. Hay	3,455	{ 40	148	62	79	69	4	4	41	21	86
Hillston	,	7	84	30	44	40		3	25	5	54
7. Wentworth	1,200	20	66	39	34	32	1	1	32	7	27
8. Wilcannia	1,210	5 32	86	45	50	36	1	1	34	11	41
Menindie	1,210	2 4	28	16	16	12			13	3	12
9. Wagga Wagga		(91	387	103	197	190	11	9	62	41	284
Narrandera {	5,993	3 20	68	30	32	36	2		19	11	38
Urana)		(5	41	14	27	14	1		12	2	27
Total	18,129	316	1,348	543	715	633	28	24	386	157	805
GRAND TOTAL		5,572	28,162	11,231	14,424	13,738	624	602	6,638	4,593	17,081

The deaths in the Districts of Liverpool and Temora exceed the births by 150, which will reduce the excess of births over deaths to 16,931.

C.
MARRIAGES—1880.

		Syd	ney.		Subt	ırban	Distri	ets.	Co	ountry I	District	3.	-/-	Total		
Denominations.	Mar-		Mark	S.	Mar-		Mark	s.	Mar-		Marks.		Mar-	1	Marks.	
	riages.	M.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F.	Total.
Church of England	689	23	37	60	240	3	9	12	1 323	110	114	224	2,252	136	160	296
Roman Catholic	286	30	48	78	125	11	12	23	610	63	60	123	1,021	104	120	
Presbyterian	234	6	14	20	103	6	2	8	431	15	22	37	768	27	38	65
Wesleyan	68	1	3	4	73	2		2	477	20	22	42	618	23	25	
Primitive Methodist	13	1	2	3	26	1	1	2	62	1	2	3	101	3	5	8
Congregational	187	15	15	30	97	2	3	5	80	2	3	5	364	19	21	40
Baptist	49	5	6	11	10				34	1		1	93	6	6	
Hebrew	12	1		1	5			1					17	1	•••	1
German Evangelical	2					• • • •			7			1	9			•••
Christians	4				5		• • • •					• • • •	9		• • • •	
Protestant Episcopal					• • • •	• • •			2			• • • •	2		• • • •	
Unitarian						• • • •		• • • •						•••	• • • •	
Welsh Church								6	213	16	23	39	318	19	30	49
Registrars' Offices	59	1	3	4	46	2	4	0	213	10	23	- 39	318	19	30	49
	1,603	83	128	211	730	27	31	58	3,239	228	246	474	5,572	338	405	743

D 1.

DEATHS from all causes of Males, at different ages, registered in New South Wales, from 1st January to 31st December, 1880.

						6	31st	Dec	embe	er, 18	880.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina	 38 1	 55 1	26	7	4	9	4	1 2	3									2				 152 21
3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever) 8. Erysipelas 9. Metria	8 1 14 27 5 3	18 2 14 19 11 	9 1 19 6 4	9 2 11 2 9	3 6 1 3 	21 11 1 4	4 13	5 8 	22 2	11	6 2	1 7 1	5			 5 1	1 2 4	1 5	 1 2			80 6 75 56 122 21
10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism	15 33 152 22 2	22 60 6	 3 7 	1 1 	2	 4 1 2	1 1 	1 	 1 1 1 2 1 3	 2 1 1 	 1 2 1 1 2	1 1 3	5 3 4 	3 1 1 	 1 3 2 2 1 3	 1 1 1 3 3	10 6 1 	 5 6 1 2	 4 6 2 	2 3 5 1 	1 1 	2 23 109 253 44 3 5
ORDER 2. 1. Syphilis	322 6	208	75	46	22	63	28	20	37	17	15	$\frac{1}{16}$	20	$\frac{2}{11}$	16	16	27	23	16	13	2	10 1,013
2. Stricture of the Urethra 3. Hydrophobia 4. Glanders	6	1			1 1				1 1			3	3 4	1	3	1	3	1	2 2	1		19
Order 3. 1. Privation							1			2 3	1 1	2 2	2 1	2 3	4 1		4 1	4		3	2 1	28 40 1
ORDER 4. 1. Thrush		2	 1				1		1	5	3	9	7	8	10	8	10	6	1 1	3	5	$ \begin{array}{r} $
2a. Hydatid	16	2	1 76	1 47	23	63	1 30	20	39	22		28	31	20	29	25	40	30	 	17	··· ··· 7	1 21 1,180
CLASS II.—ORDER 1.											1		1	1		1	9					-
2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	1	1 1	1 1	1 1 	1		2	1	2 1 2 	2	1 4 1 	4 7 3 	1 5 7 3 	1 7 11 1	8 12 3 1	1 4 24 	3 8 27 1 	9 14 2 1	4 22 	12 3	2	7 63 147 17 1 6
ORDER 2.	3	2	2	2	1		2	1	5	2	6	14	16	20	24	29	39	26	26	19	2	241
1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	40 7 12 	31 5 8 1	7 3 3	3 1 1	1 1	7	6	20	48 3 	63	1 66 2 	46 1	55 2 3	 45 3 1	1 36 2	 16 	25 1	 7 1 	 5 1 	 3 1	3	7 83 468 13 25 10
Total, Class II	63	49	13	5 7	5	8	9	20 21	51 56	64 66	69 75	61	60 76	49 69	39 63	16 45	65	34	6 32	23	3 	847

D 1—continued.

CAUSES OF DEATH. CLASS III.—ORDER 1.	Under 1 year.	2 years.	rs.	20			00														jed,	
CLASS III.—ORDER 1.	Und	1 to 2 ye	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified,	Total.
1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	55 308 5	18 1 1 68 	9	3	1 2	8 1 2 6	1 1 2 1 2	 3 1 4	1 1 2 2 4 3	7 3 1 3 7	3 6 3 2 8	 10 10 5 7 8	1 16 20 7 7 6	6 7 4 2	 11 5 4 2 6	 8 12 5 1 	 13 17 6 3 4	 11 11 3 2 4	9 17 1 	 9 15 2 8		97 107 130 43 1 37 388 87
	368	88	18	6	3	17	7	8	13	21	22	40	57	29	28	27	43	31	29	34	1	890
ORDER 2. 1. Pericarditis	5	1	3	2	2	 1 1	1 6 7	1 9	2 10 12	17	$ \begin{array}{c} 1 \\ 2 \\ 12 \end{array} $	1 3 21 25	3 38 41	2 2 24 28	$\frac{1}{2}$ $\frac{34}{37}$	2 3 39 44	1 41 42	$\frac{1}{40}$	1 35 36	22	1 3 4	12 19 365 396
Order 3. 1. Laryngitis	1 138 2 60 44 5	2 40 1 21 26 1	 13 1 15 7 36	3 8 1 14 7 2 	3 3 3 1	3 10 5 4 1	 3 2 1 1 1 1	1 1 15 1 	 2 12 3 3	 2 1 9 	1 5 2 12 3 4	3 2 14 4 1 3	7 6 18 3 2 3	1 5 3 25 2 2 1	9 4 17 6 4 6 46	7 13 5 9 1	16 2 18 7 7 4 54	 13 3 14 5 2 3	18 1 11 4 1 	$ \begin{array}{c c} 1 \\ 18 \\ 1 \\ 9 \\ 1 \\ 2 \\ 3 \\ \hline 35 \end{array} $	 1 	13 322 31 307 136 33 40
ORDER 4. 1. Gastritis	 6 1 7 3	6 15 1	5 1 	4	3 1 	5	1 3 1 2 1 1 2 1 1 2 11	3 3 1 1	1 3 2 2 1 3 12	1 2 1 1 2	3 3 2	2 5 2 2	1 2 1 1 1 1 1 3 1 9 21	2 2 1 1 1 3 1 1 2 7 7 28	1 2 2 1 2 2 1 1 8 18	2 1 1 1 1 1 2 6 5 19	1 3 1 2 1 1 3 3 4 9 28	1 8 1 1 1 1 1 1 5 1 8 27	2 2 1 1 1 2 3 1 2 3	2 4 1 2 3 1 1 6 6 21		39 129 26 9 6 15 19 5 2 16 1 32 23 74
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	102 2 2 1 	1 1 1 3	1 1	1 1 			1 1 2	 1 1	 3 1 1	 1 1	5 2 -7	1 10 2 13	1 5 3 1 3 — 13	2 1 11 2 1 1	2 6 2 2 4	 5 1 3	2 1 5 3 1 3 2 17	2 4 2 3 5 16	1 6 2 3 3 15	3 1 6 3 13	2 2	16 7 66 10 7 23 29
ORDER 7. 1. Arthritis					1		 1 1	2 4 6		1		1 2 			 1 1		 2 	 1 1				3 13 16
ORDER 8. 1. Phelgmon	4								1		 1 1	2 2		1		1 1 2	2 1 -3	1		1		1 9 6 ——————————————————————————————————
Total, Class III	734	207	64	48	20	47	36	53	63	59	88	127	171	143	146	136	189	158	127	126	12	2,754

D 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnot specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	139 11 2 15 62	 47							 													133 11 105 276
Order 3.	229	47									•••							 E9	96		3	480
1. Old Age								•••			•••	•••	•••				57	53	96	271		40
ORDER 4. 1. Atrophy and Debility Total, Class IV	312 541	37 84	4		•••												57	53	96	271	3	35 1,10
CLASS V.—ORDER 1.— 1. Fractures & Contusions 2. Wounds \{ a \ Gunshot \} b \ Cuts 3. Burns and Scalds 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise	1 2 1 3 13 	2 8 2 7 1 1	4 7 2 1 10 1 25	4 6 1 2 13	3 4 2 	8 1 7 1 3 16 1 	26 3 1 2 9 1 	26 5 1 1 1 7 2 	23 3 18 	31 3 1 1 20 1 2	18 1 2 1 2 2 9 3	27 2 1 13 3 1	25 1 2 1 1 12 	26 1 1 2 12 3 	15 2 1 4 1 6 1 	10 1 5 	10 1 6 1 	5 1 1 1 4 	11 1 2 1 1	7 1 4 	8 2 5 15	288 22 16 44 17 17 22 60
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
Order 3.—Homicide. 1. Murder	5	•••		•••		1				··· 1	···· 1			1 1	1 1	1	2 1			···· 1	1	12
Order 4.—Suicide. 1. Wounds { Gunshot Cut,stab,&e 2. Poison 3. Drowning 4. Hanging	 						 1 		1 1 1 1 	3 1 1 	1 1 1 	1 1 1 1 1 	2 3 1 2 1	2 1 1 2 	$ \begin{array}{c} 2 \\ 1 \\ 2 \\ 4 \\ \dots \\ 1 \\ 8 \end{array} $	1 1 	3 1 2 2 1 	1 2 3		1 1 1 	1 1	1 1 1 5
Order 5.—Execution. 1. Hanging	•••				····				2			1										
Violent Deaths (not classed) Total, Class V		21	25	13	9	39	43	1 45	50	1 66	1 42	53	1 52	3 54	2 42	18	32	1 17	1 17	15	17	69
Sudden Deaths (cause unascertained)																						
Causes not specified or ill-defined	1				1		1		1	3	1	5	7	7	3	4	2	2			15	
GRAND TOTALS	1749	572	184	115	58	157	119	139	209	216	224	274	337	293	283	228	385	294	291	452	59	6,68

Deaths from all causes, of Females, at different ages, registered in New South Wales, from 1st January to 31st December, 1880.

							JIST	Dec	embe	51, 1	000.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox 1a. Chicken-pox 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia 19. Parotitis	6 5 6 21 138 19		20 4 14 3 6 9 2 1 8 5 1 1 74	9 3 10 9 1 3 2 1 1 1 40	4 2 10 2 8 2 1 2 1 1	1 11 4 15 2 7 3 8 1 1 1 2 2 1 5	1 2 10 1 7 1 1 2 1 2 1			1 11 2 5 1 1 2 2 1 1 1 2					3 3	 		 1 2 1 3 3 1 2	 1 2 1 6 1			 2 118 29 83 8 51 76 118 12 21 17 65 230 30 2 7 18 9 1
ORDER 2. 1. Syphilis		1					1 1	1	2	1	1				1 1							12 1 13
Order 3. 1. Privation		 1 							1 1 2	 1 2	 1 5	 2 3	 5	1 4	2		2	1				4 23 1 4 25 57
Order 4. 1. Thrush	15 15	2 2 4		1 41	 1 1 2						 1 1 27											17 4 2 23 990
CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	3		 1 		 2 		1 	1 1 	2 1 2	 1 4 5	3 5 2 	 1 7 1 1 10	 4 15 2 	7 14 3 	 13 1 14	1 6 10 4 	6 10 1 1	1 11 9 2 	 6 4 1 	 10 1 2 1		2 63 92 20 1 2 5
Order 2. 1. Scrofula	55 3 	1 18 3 9 	1 3 2 	 1 1 	 1 1 2	··· ··· ·· ·· · · · · · · · · · · · ·	6	32 2	50 1 1 52	1 54 55	 43 1 2 46	1 39 1 1 42	1 22 2 2 25	21 21	10	8 8	6	5	4	 1 1	 1 	5 76 319 3 19 12 434
Total, Class II		31	6	2	4	7	7	36	57	60	56	52	46	45	24	29	24	28	15	15	1	619

D 2—continued

							D	2-	cont	inue	d.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	37 1 1 217 3	16 57	5 12 1	 8	3	6 1 1 4 2 3	3 1 1 4	3 1 1 5 2	1 1 2 10 2	3 3 3 2	 5 2 1 3 	 4 3 1 5 4	1 4 2 5 6	5 2 1 3	7 7 1 5	1 6 3 2 1 4	9 4 1 1 8	7 4 1 4	.:55 ::::3	7 14 1 	2 1 	76 64 48 15 3 44 299 60
	259	73	18	9	6	17	9	12	16	11	12	17	18	16	20	17	23	16	13	24	3	609
ORDER 2. 1. Pericarditis 2. Aneurism 3. Heart Disease, &c	3		1	 1 1		7	1 3	12	1 9	7	 1 11 	1 10 11	3 12 15	$ \begin{array}{c} 2 \\ 1 \\ 14 \\ \hline 17 \end{array} $	1 22 	 13	30	1 9	 16 16	 1 11 12	•••	6 7 191 204
ORDER 3. 1. Laryngitis	1 116 54 31 3	1 37 1 28 29 	 12 10 8 1	 10 7 6 	3 2 4 8 	1 4 13 3 2	 2 8 1 	7 2 9	3 7 3 3 16	 5 1 1 	 1 6 3 1 	1 3 16 2 3 	7 4 11 3 2 1 28	2 1 5 2 3 2 2	7 11 3 1 22	4 7 1 2 1 15	 13 8 2 3 3	 15 7 3 3 2	 16 3 2 4 2 2 7	 19 3 2 2 2 		7 273 6 220 115 25 20 666
ORDER 4. 1. Gastritis	16 36 3 5 1 2 2 5 1 71	8 13 1 	2 5 	 1 1 1	2	1 6 	1 3 2	2 5 1	1 1 4 1 1 	3 5 11	2 4 2	3 3 4 2 2 3 5 5 22	2 2 2 1 1 1 3 1 5 18	2 2 1 3 1 6 19	1 3 1 1 3 1 3	1 6 1 3 1 1 1 2 16	1 6 1 1 1 4 1 12 27	1 4 1 3 4 4 4	 1 1 2 3 1 4 	1 1 1 2 1 4 	 1 1 	44 101 41 9 3 8 18 1 1 1 13 30 14 55
ORDER 5. 1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c		 1 		1 1 2			1 	 1 1 		3	 5 3	2 2 1	 4 1 	7	 1 	5 1 	1 1 1 2	 2 1 1		 1 		34 3 34 3 3
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c		•••	• • •					1 1	3		2 2	3	1	1	1 1		 1					3 11
ORDER 7. 1. Arthritis					• • • • • • • • • • • • • • • • • • • •	1	2	1		1								 1 1				$ \begin{array}{c} 14 \\ 2 \\ $
Order 8. 1. Phlegmon	1														1 1		2 2	•••		1 		5
Total, Class III	541	192	58	38	25	55	35	48	53	51	59	83	85	75	82	67	114	85	69	75	5	1,895
	1				-											01	LIT	00	00	10	9	1,090

D 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.		15 to 20 years.	20 to 25 years.	100	30 to 35 years.	35 to 40 years.	40 to 45 vears.	45 to 50 years.	50 to 55 years.	55 to 60 years.			70 to 75 years.	75 years and	Age not smoothed	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	10 3 8 51	30																			• • • •	116 10 3 8 82
	188	30	1				•••					•••										219
Order 2. 1. Paramenia								1 4 5	-	_		29	1 15	3								106
					```			- 0	13	21	40	29	16	3								110
ORDER 3. 1. Old Age																1	28	24	39	128	1	221
Order 4.  1. Atrophy and Debility.	288	28	3	2																		321
Total, Class IV	476	58	4	2				5	13	21	23	29	16	3		1	28	24	39	128	1	871
CLASS V.—ORDER 1. ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds { a Gunshot } b Cuts 3. Burns and Sealds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise		3  6 2 1  8  20	4  9 1  1  15	3 4 1 1 9	1 3 1 1 5	2  6 2 3 2 3 	4  4  1  1	2  1 1 1  2  1	3 1 2 1 2 2 1 10	3   1  2  1	2   4  7	3  1 2 1  1  1	 1  2  1  1	1 1 1   	1 1 1  1  4	1 1 1 3	 1 1   1 	2 1	 1   	2	   2  2	39 1 3 44 10 10 2 34 13 9
Order 3.—Homicide. 1. Murder 2. Manslaughter	8							1								1 1	1	•••		•••	•••	10 2
	8				• • • •			1								2	1					12
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise								 1   1		 1  1 	1  1 1 	1 1 1 1 	 1  1	 1   1	 1  1 	1  1  2						 3 4 3 5 
Order 5.—Execution. 1. Hanging		••1											***									
Violent Deaths (not classed)	1														1		1					3
Total, Class V	25	20	15	9	5	18	14	10	10	9	10	12	6	4	7	7	5	3	1	3	2	195
Sudden Deaths (cause unascertained)																						
Causes not specified or ill-defined	2					1	1		2	2	3	_1	1	1	3	2	3				1	23
GRAND TOTALS	1451	464	157	92	68	140	84	134	169	172	178	205	178	144	126	119	189	154	135	224	10	4,593

D 3.

DEATHS from all causes, of Both Sexes, at different ages, registered in New South Wales, from 1st January to 31st December, 1880.

							1100.			er, 18								1	)	)	-	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.  1. Small-pox  1a. Chicken-pox  2. Measles  3. Scarlatina  3a. Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough  7. Typhus (and Infantile Fever)  8. Erysipelas  9. Metria  10. Carbuncle  11. Influenza  12. Dysentery  13. Diarrhea  14. Cholera  15. Ague  16. Remittent Fever  17. Rheumatism  18. Pyæmia  19. Parotitis	 1 67 6 14 1 24 69 11 8  21 54 290 41  2  2  2 		46 4 23 4 25 15 6 1 11 12 1 1 1 1 49	16 7 19 2 20 3 12 21 1 2 11 1 186	8 5 13 2 144 3 2 2	1 20 13 36 2 18 4 12 1 7 1 1 1 1 4 1 122	5 3 14 1 20 1 1 1 1 1 1 1 3 3 54	2 4 9 1 1 27 3 2 1 3 1 54		1 22 2 5 23 3 2 1 42			1 10 4 7 5 5 5 2 5 39					2 2 7 2 8 9 1 1 4 36	     6 7 8   1 1 1 			270 50 163 14 126 132 240 33 21 2 40 174 483 74 5 12 49 19 1
ORDER 2.  1. Syphilis	11   11	2 2			1  		1	1	2 1   3	 1 1	1   1	3	1 3  4	1  	2 2  4	 1  1	 3  3	1  1	 2  	1   1		21 19  1 —41
Order 3.  1. Privation	2 63   65	1					1 1		1  1 1 3	2  4 2 8	1  2 6 9	2  4 8 14	2  1 9	3  3 7	4  1 7	  1 8	4 1 1 6 12	5  1 1		3	2  1 2 5	32 63 2 20 58 175
Order 4.  1. Thrush	31  31 718	2 4  6	 1  1 150	 2  2 88	 1 1 2 57		 1 1 57		  73		 1 1 45											$ \begin{array}{c} 33 \\ 8 \\ 3 \end{array} $ $ \begin{array}{c} 44 \\ 2,170 \end{array} $
CLASS II.—ORDER 1.  1. Gout	5 1 	1  1  1 	 2 1    3	1 1    2	 1  2  3		3	 1 1 1   3	4 1 2 1 2 10	 1 4 2   7	1 3 9 3  	 5 14 4   1 24	1 9 22 5 37	1 14 25 3  1	 8 25 4  1 38	2 10 34 4  	3 14 37 2  1 57	1 20 23 4  1	 10 26 1  	 14 13 2  4	··· 2 ··· ·· ·· ·· ·· ·· ·· 2 ··· ·· ··	9 126 239 37 1 3 11
Order 2.  1. Scrofula	2 95 10  21 3	$ \begin{array}{c c} 3 \\ 49 \\ 8 \\ \dots \\ 17 \\ 1 \\ \hline 78 \end{array} $	10 5  3  18	3 2  2 	2 2  1 1	1  14  	1  12  	52  2	98 4  1	1  117  1 119	1  109 3  2 115	1  85 1  2	1 77 2 5	 66 3  1	1  46  2	24  	31 1 	 12 1  	 9 1 	4 1	 4  	12 159 787 16 44 22
Total, Class II		80	21	9	9	15	16	57		$\frac{115}{126}$		113	122	114	87	74	89	62	$\frac{10}{47}$	38	$\frac{4}{6}$	1,040

# D 3—continued.

								3	01600	nueu												,
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 vears.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	92 1  1 525 8	34 1  1  125	14    21 1	3     11 1	4 3 2	14 1 1  1 6 2 9	4 1 2  1 2  6	3 1 3  1 6  6	2 2 2 4  14  5	 7 6 4  6  9	 8 8 4  5  9	14 13 6  12 	2 20 20 9  12 	 11 9 5  5 	18 12 4  3  11	1 14 15 7  2  5	22 21 7  4  12	18 15 3  8	14 22 1  5	16 29 3  10	2  1  1	173 171 178 58 4 81 687 147
ORDER 2. 1. Pericarditis	627  8 8	161	36  4 4	15  3	9 2	34  8 8	2  9	1  21 22	3  19 22	32  24 24	$ \begin{array}{c c} 34 \\ 1 \\ 3 \\ 23 \\ \hline 27 \end{array} $	1 4 31 36	75 	45 4 3 38 45	2 2 56 60	2 3 52 57	 1 71 72	2 1 49 52	 1 51 52	 1 33 34	1 3 4	18 26 556 600
ORDER 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4aCongestion of the Lungs Pulmonary 5. Asthma 6. Lung Disease, &c	2 254 2 114 75  8	3 77 2 49 55 	 25 1 25 15 	3 18 1 21 13 2 	3 5  7 11 	4 14  18 7  3	5  10 2 1	1 1 1 22 3 	 5  19 6  6	 2 1 14 1 1 	1 6 2 18 6 1 4	1 6 2 30 6 4 3	14 10 29 6 4 4	1 7 4 30 4 5 3	 16 4 28 9 5 6	 11  20 6 11 2	29 2 26 9 10 7	28 3 21 8 5 5	34 1 14 6 5 2	1 37 1 12 3 4 3	 11  	20 595 37 527 251 58 60
Order 4.  1. Gastritis	13 11 2 2 2 12 4	144 288 1 1 1 1	2 10 1 	58	5      	1 11   1 	19 2 3 4  2 2   1  1 4	28 5 8 1 1 1 1 1 1	36 2 4 4  2  3  1 1 3 	19 4 5 13 1      	38 5 7 2 2 1 	52 5 8 4 2 4 2 4 10 10	3 4 3 2 2 2 1 6 2 14	54 4 4 1 1 1 1 3  10 13 	68 2 5 2 1  1  1  4 1 11 	1 8 1 3 1 1 2 1 3 7 7 7	83 2 9 2 1 2 2 1 3 7 5 21	70 2 12  2 3  1  5 1 9 2 12 	62 2 1 2 1 1 3 4 3 7	61 3 5 2 2  5 1  2  2  1  2 	1 1 1      2 2	1,548  83 230 67 18 9 23 37 6 3 1 29 1 62 37 129
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	2	1 2 1 4	13 1   1 2	7 1 1   1 3	6		19 1 1  3	20 2 1 3	3  1 1	29  4   4	30  10  5 15	39 3 12 3 18	1  9 4  1 3 18	2 1 18 2  1 1 2 5	31 2  7 2  2 4 17	35  10  2 3 15	55 2 1 6 3 1 3 3 -	51 2  6  2 4 6 	1  6  2 4 3 16	32  3 1 1 6 3 14	6 2 2	735 19 7 100 13 7 26 38 210
ORDER 6. 1. Ovarian Dropsy 3. Uterus Disease, &c								1	3		2	3	1 1	1 1	1 2		1					3 11 14
ORDER 7.  1. Arthritis					1	1	3	3  4 7		1 1 2		1 2			1		 2 2	2				5  17 22
ORDER 8.  1. Phlegmon	1 4								1		1	2		1 	1	1 1 2	4 1	1		 2 		1 14 6
Total, Class III	1,275	399	122	86	45	102	71	101		110		-	-			203			196		17	4,649

### D 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 o 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	255 21 5 23 113	  77																				255 21 5 23 191
	417	77	1															1				495
ORDER 2. 1. Paramenia								1 4	2 11	21	23	29	1 15	3								4 106
								5	13	21	23	29	16	3								110
ORDER 3. 1. Old Age										,						1	85	77	135	399	4	701
ORDER 4.  1. Atrophy and Debility	600	65	7	2																		674
Total, Class IV	1017	142	8	2				5	13	21	23	29	16	3		1	85	77	135	399	4	1,980
CLASS V.—ORDER 1.—ACCI- DENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds   \[ \begin{align*} a. Gunshot \\ b. Cuts	3  2 1  3 26 1	5  14 2 3  15 1	8 16 3 1 11 1	7  10 2 1  2	1 3 7 3 3	10 1 13 2 4 5 19 1	30 3 1 4  1 2 13 1 1	28 5 1 1 2 2  9 2 1	26 4  2 1  20  1	34 3  1 2  22 1 3	20 1 2 1 2 2  13  4	30  3 3 1  14 3 2	25 1 2 1 1 3  13	27 1 2 1 2  12 3 	16 2  2 5 1  7 1	11  1  6 	10  1 2  1  7 1	7 1  1 1 4  1	11  2  2  2 1	9  1 1  4 	8 2	326 27 13 84 26 23 8 206 42 17
	36	41	40	22	14	56	56	51	54	66	45	56	47	48	34	19	22	16	17	15	17	772
ORDER 2.— VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
Order 3.—Homicide. 1. Murder 2. Manslaughter	13					1	•••	2			 1			1 1	1	2 1	3 1				1	22 10
	13					1		2		1	1	1		2	2	3	4			1	1	32
ORDER 4.—SUICIDE.  1. Wounds { Gunshot Cut, Stab,&c 2. Poison							1	 1  	1 1 1  1	3  2  2 	1 1 1 2 	 2 1 2 2 	2 3 1 1 2 1	1 2  2	1 2 5  1 1	1  2 	3 1 2 2 1 	1  2  		 1  1		11 12 19 6 17 3
ORDER 5.—EXECUTION.		•••			***		1	1	4	7	5	7	10	5	10	3	9	3		2	1	68
1. Hanging									2			1										3
Violent Deaths (not classed)	1							1		1	1		1	3	3		2	1	1			15
Total, Class V	50	41	40	22	14	57	57	55	60	75	52	65	58	58	49	25	37	20	18	18	19	890
Sudden Deaths (causes not ascertained)																						
Causes not specified or ill-defined	3				1	1	2		3	5	4	6	8	8	6	6	5	2			16	76
Grand Total	3200	1036	341	207	126	297	203	273	378	388	402	479	515	437	409	347	574	448	426	676	69	11231

E 1.

Deaths from all causes, of Males, at different ages, registered in Sydney, from 1st January to 31st December, 1880.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox								0.00														
1a Chicken-pox					,																	77
2. Measles	16	26	17	6 2	3	4 2	2	1 1			,	1	1									8
3a Diphtheria			1			1													•••			$\frac{2}{1}$
4. Quinsy	2	1	3	1 1		5																12
6. Whooping-cough 7. Typhoid (and Infantile	5	4	2	2	1																	14
Fever)		1	1	3	2		4	4	4	1	2	2	1			1		2				28
8. Erysipelas						• • • •					2			1		1	1					5
10. Carbuncle									,,,													
11. Influenza														2	 1							 15
12. Dysentery	$\frac{3}{52}$	23		1		1			1	1 1	1		4 2					1		1		82
14. Cholera	6												2					1				9
15. Ague 16. Remittent Fever									1				•••									1
17. Rheumatism										1	1	1	1		3			1				8
18. Pyæmia		•••			•••		1	•••	•••	• • • •				1	•••	1						
	84	57	24	16	9	13	7	6	7	4	6	4	11	4	4	3	1	5	•••	1		266
ORDER 2.	0	7																				4
<ol> <li>Syphilis</li> <li>Stricture of the Urethra</li> </ol>	3	1							1			3	2	1	1		1			1		10
3. Hydrophobia																						•••
4. Glanders			•••				•••		•••	•••												
	3	1				•••			1			3	2	1	1		1			1		14
ORDER 3.																						
1. Privation	5																					5
3. Purpura and Scurvy																						
4. Alcoholism:— a. Del. Tremens										3	1	1	1	2			1	1				10
b. Intemperance										***		4	2	1		2						9
										3	1	5	3	3		2	1	1				24
			-												-							
ORDER 4.  1. Thrush															,							
2. Worms, &c		2		1																		3
2a Hyatid								•••			•••			••••								
		2		1																		3
Total, Class I	92	60	24	17	9	13	7	6	8	7	7	12	16	8	5	5	3	6		2		307
Total, Class I	92	60		17	9	13	7	6	8				16	8	5	5	3	6		2		307
Total, Class I  CLASS II.—ORDER I.	92	60		17	9	13	7	6	8	7	7	12										
CLASS II.—ORDER I. 1. Gout			24				7	6	8 1	7			1 2	2	3	2	1	6 2		2		2 16
CLASS II.—ORDER I.			24						 1	7	3	2 2	1 2 3	2 5	.: 3 5	 2 6	1 3	2	2			2 16 30
CLASS II.—ORDER I.  1. Gout			24	•••			2		 1		7	2	1 2	2	3	2	1	2				2 16
CLASS II.—ORDER I. 1. Gout			24	•••			2		 1  1	7	 3 	2 2 2	1 2 3	 2 5 	 3 5 	 2 6 	1  3  	 2  	 2 		 1 	2 16 30 3 
CLASS II.—ORDER I.  1. Gout			24				2 		 1  1		 3 	 2 2 2 	1 2 3 	 2 5  	 3 5 	 2 6  	1  3  	2	 2 		 1 	2 16 30 3 
CLASS II.—ORDER I.  1. Gout			24				2		 1  1		 3 	2 2 2	1 2 3 	 2 5 	 3 5 	 2 6 	1  3  	 2  	 2 		 1 	2 16 30 3 
CLASS II.—ORDER I. 1. Gout			24				2		 1  1	··· ··· ··· ··· ···	 3   3	 2 2 2   6	1 2 3   	 5   7	 3 5  	 2 6   8	1  3   	2    2	 2   2		 1   1	2 16 30 3 
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification  ORDER 2.  1. Scrofula			24			··· ··· ··· 1	2   2 		 1   2	7	7  3   3	12  2 2 2   6	1 2 3    6	 2 5  	 3 5 	 2 6  	1  3  	2	 2 		 1 	2 16 30 3 
CLASS II.—ORDER I.  1. Gout	    1		24				2   2		 1 1 2 11	··· ··· ··· ··· ···	7 3 3 1 16	 2 2 2   6	1 2 3   	2 5 7 7 13	 3 5   8	 2 6   8	1 3 4 7	2 2 2 2	2   2		 1   1	2 16 30 3   51 3 26 109
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification  ORDER 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Homoptysis	    16		    2 1			   1	2 2 1	4	 1  2		7 3 3 3	2 2 2 6 15	1 2 3 6 9	 2 5   7 	3 5 8 7	2 6 8	1 3 4	2 2 2 2	2  2  2		 1   1	2 16 30 3   51 3 266 109 10
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification  ORDER 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	    1 16   5		    2			   	2   2  2		 1 1 2 11	    20	7 3 3 1 16	2 2 2 2 6 15	1 2 3    6	2 5 7 7 13	 3 5   8	2 6 8 1	1 3 4 7 1	2 2 2 1	 2   2  1		 1   1	2 16 30 3   51 3 266 109 10
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification  ORDER 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Homoptysis	1 16  5	8	    2 1 			   	2   2  2		 1  2	   20	7 3 3 1 16 2	12 2 2 2 6 15	1 2 3 6 9	 2 5  7 13 2	8	8	1 3 4 7 1	2 2 2 1	2 		 1  1	2 16 30 3   51 3 26 109 10 9 1
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification  ORDER 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	    1 16   5		    2			1 	2 2 1		 1 2 2	    20	7 3 3 3 1 16 2	2 2 2 2 6 15	1 2 3 6 9 1	7 	8 8	8  8	1 3 4 7 1	2 2 2 2	 2  2  2		 1  1	2 16 30 3   51 3 26 109 10 9

### E 1—continued.

				,		,			1	1	)	1		1		1	1	1	1	1	1 ==	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis	18   60 1	4   16	2    4	   3 			1	 1  1 	 1    1 -2	 1  2  1	 1 1   3	 3  3  3	1 5 3  3  4	 1    2	 1    2	3 3 6	 4 2  1  1	 1  1  2	 4 2   1	3 2   1		26 28 14  11 83 20
	79	20	6	3			1						10									
Order 2. 1. Pericarditis	3		 1 1	 1 1				3	5	6	3	4 4	 1 11 12	 1 8 	$ \begin{array}{c} 1 \\                                   $	$\frac{1}{2}$ $\frac{2}{7}$ $\frac{1}{10}$	9	6	 1 2 3	4		2 5 79 86
0																						
Order 3.  1. Laryngitis	26  13	9 7	3 3	 2  4	1  1	1 3  2	"i "i …	 1  2			1 4 2 4	 1  3	 2 1 3	1 3 2 3	 3 2 5	2 3	 4  3	 2 1	 4  2	 3  1	 1 	3 75 8 62
Lungs—Pulmonary 5. Asthma	15	8	3	4	2	1			1		1		1	1	2	1	2	1	1			39 5
6. Lung Disease, &c	 54	24	9	10	$\frac{1}{5}$	7	1	3	1 -4	 1	$\frac{1}{13}$	4	7	10	$\frac{2}{14}$	6	9	4	7	4	 1	197
Order 4.  1. Gastritis	6 12 1 	4, 5,	4	2 	3	1 	2 1 	 1  1		 2  1	1 2 	2  1 	1  	" 1 … … …	1  		1 1 	1  1 	1 			12 36 7 3 
7. Ileus 8. Intussusception 9. Stricture of Intestines. 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c 13. Hepatitis 14. Jaundice 15. Liver Disease, &c	1     2							1 				  1	 1  1 2	1   1 	 1   1	   1	  1  1	  2  2				4 1 2 8 3 10
16. Spleen Disease, &c																						
	22	10	4	2	3	1	3	3	1	4	4	4	6	5	4	3	4	6	2	1		92
ORDER 5.  1. Nephritis 2. Ischuris 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.	1		1						 2  1 1		 4   2	6 1	 4 2  1	2 1 4 2  1	2  2  1 1		1  2  1 	 2   4	 2  	 1  3		6 2 29 4 1 6 10
	1		1						4		6	7	7	10	6		4	6	2	4		58
Order 7.  1. Arthritis								 1				1										1
ORDER 8. 1. Phlegmon 2. Ulcer 3. Skin Disease, &c									1								 1 					1 1 
									1			•••	•••		•••		1					2
Total, Class III	159	54	21	16	8	8	5	12	17	15	31	29	48	37	34	25	35	24	21	19	1	619

E 1—continued.

		1	1	1	1	1	)	1			,		-	1	,				- 11		1 .	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	23																					23
<ol> <li>Cyanosis</li> <li>Spina Bifida</li> </ol>	6																					6
4. Other Malformations	5																					5
5. Teething	13	11			•••	•••										•••						24
	47	11																				58
ORDER 3.																						
1. Old Age				,													4		12	15	•••	31
ORDER IV. 1. Atrophy and Debility	79	9	3																			91
Total, Class IV	126	20	3														4		12	15		180
		-	-						-													
CLASS V.—ORDER 1.																					1021	
ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions		2	1	1			7	6	4	6	3	9	4	5	2		3		3	1		57
2. Wounds $\begin{cases} a \text{ Gunshot} \\ b \text{ Cuts} \end{cases}$						1	1				2	1										
3. Burns and Scalds		1	•••	1		3															•••	5
3a. Sunstroke															2					•••		2
4a. Bite of Snake or Insect	•••																					
5. Drowning						1		1		2			1	1		1						7 5
7. Otherwise	2	1	1							1	1	1		1					1			4
	2	4	2	2		5	8	8	4	9	6	11	5	7	4	1	3		4	1		86
ORDER 2.—VIOLENT DEATHS IN BATTLE. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise	•••																					
5. Otherwise	•••						• • • • • • • • • • • • • • • • • • • •											•••				
ORDER 3.—HOMICIDE. 1. Murder	3							1														3 2
	3					•••	•••	1	•••	•••	• • • • • • • • • • • • • • • • • • • •			1								5
ORDER 4.—SUICIDE.  1. Wounds Gunshot Cut. Stab. &c.									1				1			٠						2 1
2. Poison												1	1	1							:::	2
3. Drowning																						
4. Hanging													1		1							2
									1			1	3	1	1			•••				7
Order 5.—Execution. 1. Hanging						••••			1			1										2
Violent Deaths (not classed) Open Verdicts (found drowned, &c.)	<b>\}</b>		•••					1		1	1		1	3	2		1	1	1			12
Total, Class V	5	4	2	2		5	8	10	6	10	7	13	9	12	7	1	4	1	5	1		112
Sudden Deaths (cause unascertained)												***										
Causes not specified or ill-defined	1				1		1			3	1	5	6	5	3	3	2	1			6	38
GRAND TOTALS	405	148	55	35	18	28	24	32	47	55	68	80	95	84	64	43	60	37	41	38	8	1,465

E 2.

Deaths from all causes, of Females, at different ages, registered in Sydney, from 1st January to 31st December, 1880.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox																						
1a. Chicken-pox 2. Measles	14	22	 15	7	···	5	1				1	1										67
3. Scarlatina	1	3	2 2	1 2	1 1																	8
4. Quinsy				2																		
<ul><li>5. Croup</li><li>6. Whooping-cough</li><li>7. Typhoid (and Infantile</li></ul>	1 16	8	1 5	1	1	3																34
Fever)	1 1	1		1		1	1	6	5	2	4					3		1	1			26 2
9. Metria								1		1		2	2					,				6
10. Carbuncle	2					• • • •																2
12. Dysentery	3 50	1 19	1		2	1			1		1	1 1	2	1	2	2	3	1 2	4			8 91
14. Cholera	6	1								2			1									10
15. Ague																						
17. Rheumatism									1				2				1					2 2
19. Parotitis		1					•••							•••								1
	95	60	26	14	7	10	2	7	7	6	6	5	7	1	2	5	4	4	5			273
Order 2.																						
1. Syphilis	1	1					1	1	1						1							6
<ol> <li>Stricture of the Urethra</li> <li>Hydrophobia</li> </ol>																						
4. Glanders																						•••
	1	1					1	1	1						1							6
,																						
Order 3. 1. Privation																						
<ol> <li>Want of Breast-milk</li> <li>Purpura and Scurvy</li> </ol>	1											•••										1
4. Alcoholism :—																						
a. Del. Tremens b. Intemperance									1	1	$\frac{1}{2}$	2 2	2	3	1		2					4 14
	1								1	2	3	4	2	3	1		2					19
ORDER 4.			-	-																		
1. Thrush	5	1 1			1																	6 2
2a. Hydatid																						
	5	2			1																	8
Total Class I	102	63	26	14	8	10	3	8	9	8	9	9	9	4	4	5	6	4	5			306
CLASS II.—ORDER 1.																						
1. Gout																						
2. Dropsy	1									1	1	1	2	3	6	2 4	1 3	5	$\frac{2}{1}$	3		22 22
3a. Tumour									1			1		1	1	1		1				5 1
4. Noma. 5. Mortification					1				2													1 2
5. Morningation						•••	•••	•••														
	1		•••	•••	1			•••	3	1	2	2	6	6	7	7	4	7	3	3		53
Order 2.																						
1. Scrofula																						
2. Tabes Mesenterica 3. Phthisis	16	6	3	1	1			7	12	26	10	18	9	9	5	3	1	1				25 103
3a. Hæmoptysis 4. Hydrocephalus																						
4a. Abscess	3	3						2	1				1									6 5
		-	-	-	-	-	-	-		-		-		-		-	-					
1.25   3       5	20	9	3	1	1			9	13	26	10	18	10	9	5	3	1	1				139

E 2—continued.

CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy	Under 1 year.	1 to 2 years.	to 3 years.	Lyears:	5 years.	ars.	ars.	rrs.	rs.	00.		1	, mi	70	1	1	1	1	1		ified.	
1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea	11		2 t	3 to 4	4 to 5 y	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
7. Convulsions 8. Brain Disease, &c		4   15	3 5		1	4   1 2 1	1	2 1 1	1  1  1	3	2  1 	1 1 1  1  3	1  1 	2 3	3 5 	1 2 	4	 4 2  1	1 4	2 2   2		27 19 21 2 1 6 74 25
	61	19	8	3	2	8	1	4	3	4	3	7	2	5	10	7	8	8	6	6		175
ORDER 2.  1. Pericarditis 2. Aneurism	•••					1	2	4	3	 2 	2	1	1 3	1 1 2 4	1  7 -8	4	10	 2 2	3	1 3 4		2 3 49 54
Order 3.  1. Laryngitis	21  10	1 14 1 10 11 	 2  3 	1  2 5 	 1  2 2	1  1 1 	2	 1	1	 2 1	 1 2 	 3 1 	 3 2 3 1 	2 1 1 2 1 2 1	 3  2 1		 4  1 1	6 1	5 2 1 2 1	 10  1		1 73 3 48 42 5 5
	43	37	8	8	5	3	2	1	1	3	3	4	10	7	6	1	6	7	11	11		177
ORDER 4.  1. Castritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines 10. Fistula	7	3 6	5		2		  1	3		 1 	 3 1 	3 1 1	1	  1 	1 1	 1 	 1  	 1  1 1		1 1  		10 22 10 3  4 8 1 1
<ol> <li>Stomach Disease, &amp;c</li> <li>Pancreas Disease, &amp;c</li> <li>Hepatitis</li> <li>Jaundice</li> <li>Liver Disease, &amp;c</li> <li>Spleen Disease, &amp;c</li> </ol>	1	9		 1 			1  2	1  1  5	1 1		 1  5	 1  5	 1  3 	1  1  3	2 1 2 7	1 2	1	1  2 1 1  9	1  1  2	 1  2 		6  7 5 14 
ORDER 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c				   1							 4.   1	2  1  1 4	4	3	1   	4 1 5	   1		   1 			3  17  2 5
ORDER 6. 1. Ovarian Dropsy 2. Uterus Disease, &c	•••										1 1	1 1			1 1							3
ORDER 7.  1. Arthritis							 1 1			1												1 1
ORDER 8.  1. Phlegmon																				 1		1
						• • •		•••	•••		•••	•••						•••	•••	1		1
Total, Class III	121	65	21	13	9	12	8	14	8	11	19	22	25	22	33	19	27	26	23	27		525

### E 2—continued.

																			-		-	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	29 4  5 8		   1																			29 4  5 14
	46	5	1										•									52
ORDER 2.  1. Paramenia								1	 5 5	 5 5	3	4	1 2 3	1 1								2 20 22
ORDER 3.  1, Old Age																1	3	2	4	27		37
ORDER 4.  1. Atrophy and Debility	75	5	1	1																		82
Total, Class IV	121	10	2	1				1	5	5	3	4	3	1		1	3	2	4	27		193
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds $\begin{cases} a \text{ Gunshot} \\ b \text{ Cuts} \end{cases}$ 3. Burns and Scalds 3a Sunstroke	1	1	1  2 							1	2	1				1 1 1	 1  	1				9 1 3
5. Drowning 6. Suffocation 7. Otherwise	5	1 2	3							1	1 3	 1 2	1				  1	1 2				$ \begin{array}{r}     1 \\     5 \\     4 \end{array} $
Order 2. Violent Deaths in Battle 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE.  1. Murder	6															1						6 1 7
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison								 1 		 1 		1			1							 1 3 
								1		1		1			1							4
Order 5.—Execution. 1. Hanging	•••																					
Violent Deaths (not classed)	1														1		1				0	3
Total, Class V	13	2	3					1		2	3	3 .	1		2	3	2	2				37
Sudden Deaths (cause un- ascertained)																						•••
Causes not specified or ill-defined	2					1	1		2	1	3	1	1	1	3	2	3				1	22
		149	55	29	19	23	12	33	40	54	49	59	55	43	54	40	46	42			1	1,275

E 3.

Deaths from all causes, of Both Sexes, at different ages, registered in Sydney, from 1st January to 31st December, 1880.

CAUSES OF DEATH.    2			1		,	-			ecen	,	100	0.											
1. Smittpox	CAUSES OF DEATH.	Under 1 year.	to 2	\$	to 4	100		10 to 15 years.	to	to	to	to	35 to 40 years.	40 to 45 years.	60	5	55 to 60 years.		65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
Order 2	1. Small-pox 1a. Chicken-pox. 2. Measles 3. Scarlatina 3a. Diphtheria 4. Quinsy 5. Croup. 6. Whooping-cough 7. Typhoid (and Infantile Fever) 8. Erysipelas 9. Metria 10. Carbuncle 11. Influenza 12. Dysentery 13. Diarrhœa 14. Cholera 15. Ague 16. Remittent Fever 17. Rheumatism 18. Pyæmia	30 1  3 21 1 1 1  2 6 102 12 	2	32 2 3 3 4 7 1 1 1	13 3 2 1 3 3 3 1	2 2	   9   2   1     5   3   1                 	5  	10	9	3 1 1 1	6 2	2	1 1 2 4 4 3 1 2	    1   			     3  	3 1 1				144 16 8 1 20 48 54 7 6 6 2 23 173 19 1 1 10 5
Order   Company   Compan	1. Syphilis	4	2	•••				1	1	1 1 			3	2 	" 1 …	1 1 		 1 			 1 		10 10 
1. Thrush       5       1 <td< td=""><td>1. Privation</td><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td> 1</td><td> 4 1</td><td> 2 2</td><td> 3 6</td><td> 1 4</td><td> 2 4</td><td> 1</td><td> 2</td><td> 1 2</td><td> 1 </td><td></td><td></td><td></td><td>6  14 23</td></td<>	1. Privation	6								 1	 4 1	 2 2	 3 6	 1 4	 2 4	 1	2	 1 2	 1 				6  14 23
1. Gout	1. Thrush 2. Worms, &c. 2a. Hydatid	5	3 4		1	1																	5  11
1. Scrofula       1          1         1          1                                                                                                    .	1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma	1				1		2		1 1 1  2	1	1 4  	2 3  	6 5	4 8 1 	3 11 1 	4 10 1 	1 6  	7 1 1 	2 3  	3	1  	38 52 8 1 1 2
Total, Class II 43   19   8   1   2   2   3   13   32   47   34   41   32   37   27   19   17   13   6   4   1   401	1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus	32  8 1	14  5 	5 1  2 	1   1	1   1	1	1   1	11  2 13	23 3  1 27	46  46	26 2  29	33	18  2 20	22 2   24	12   12	4	8 1  9	3 1 	 1  1	1		51 212 10 15 6 
The state of the s	Total, Class II	43	19	8	1	2	2	3	13	32	47	34	41	32	37	27	19	17	13	6	4	1	401

### E 3—continued.

										rueu									1	1	1 ==	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1. 1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	29    108 3	8 31 39	5   9 	6	1 1 2	4   1 2 1 	2 2	2  1  1  1	1 1  1  1 	 1 3  2  2	1 3  1  3	4 1 1  4  6	1 6 3  4  4 18	3 5	4 5   4 13	 4 5   4 13	8 2 1 5	 5 2  2  1	5 6   2	5 4   3		53 47 35 2 1 17 157 45
ORDER 2.  1. Pericarditis 2. Aneurism 3. Heart Disease, &c	3		 1 1	 1 1		 1 1	 2 2	7	 8 8	 8 8	5 5	5	2 14 16	$\frac{1}{2}$ $\frac{1}{10}$ $\frac{1}{13}$	2  13 15	1 2 11 14	 19 19	 8 8	 1 5 6	 1 7 8		4 8 128 140
ORDER 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4aCongestion of the Lungs Pulmonary 5. Asthma 6. Lung Disease, &c	23 26  1	1 23 1 17 19 	 5  6 6  	 3  6 9  	3 4  1	1 4  3 2  	 1  2  	 1  3  	 3 1  1	 3 1 	1 4 2 5 3  1	 1  6 1 	5 3 6 1 1 1	1 5 2 4 1 3 1 17	6 2 7 3 2 20	 2  3  1 1	 8  4 1 2 	 8 1  1 1 	 9  4 2 2 1 18	 13  2  	 1   	4 148 11 110 81 10 10
Order 4.  1. Gastritis	11 19 1 	7 11	9	2	5	1 	1  1  1 	3 1 1 1 1 1 1	1  1  1 	3 1	1 5 1	2 3 1 1 1 1 1 1	1 1 1 2 1 5	1 2 1 1 1 1 2 2	2 1 1 3 1 3	 1  1  1  1 	1 1 1 1	2 1 1 1 1 1 1 1 3	 1  1  1  1	1 1 		222 588 176 6
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c	37 1 1 1 3	19	1	3	5		5	8	2  2  1 1 4	5	9 8 3 11	9 2  7  2 11	11  8 2  1 1	2 1 7 2  1 	2  3  1 1	5  4  1  5	1 2 1 1 5	15 2 4 -6		6  1  3 		9 2 46 4 1 8 15
1. Ovarian Dropsy 3. Uterus Disease, &c  ORDER 7. 1. Arthritis											1 1	1 1 1 			1 1							3 3
2. Joint Disease, &c  ORDER 8.  1. Phelgmon							1	1	 1 	1		1					1			1		1 2 3
Total, Class III	280	119	42	29	17	20	13	26	25	26	50	51	73	59	67	44	62	50	44	46	1	1,144

E 3—continued.

		1	1		1	1	1	1	1	1	1	1		1	,			,	,		- 75	,
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	52 10  10 21		  1																			52 10  10 38
Order 2.	93	16	1					1				•••	1									110
2. Childbirth (see Metria)								1	5 5	5 5	3	4	3	1								20 22
ORDER 3.  1. Old Age					·						,					1	7	2	16	42		68
ORDER 4.  1. Atrophy and Debility		14	4	1					•••		,											173
Total, Class IV	247	30	5	1				1	5	5	3	4	3	1		1	7	2	16	42	.,.	373
CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation 7. Otherwise		3  1  1  1	2  2   1	1  1  		 1 3   1 	7 1	6 1 1 1	4	7 2 1	5 2 2	10  1    1 1	4    1	5     1 1	2  2  2 	1  1   1 	3 1	1     	3 1	1		66  7 8 2  8 10 8
	8	6	5	2		5	8	8	4	10	9	13	6	7	4	3	4	2	4	1		109
ORDER 2.— VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise			•••																			
2. Sword and Bayonet Wounds																						
2. Sword and Bayonet Wounds			•••											•••								
2. Sword and Bayonet Wounds	9																					9 3
2. Sword and Bayonet Wounds	9							  1 1  				2	   1  1 	 1 1  1 	   1	 1 1  						9 3 12 2 2 5 
2. Sword and Bayonet Wounds	9							 1 1 	1 			2	   1 	 1 1  1 		 1 1 						9 3 12 2 2 5 
2. Sword and Bayonet Wounds	9 9							 1 1  1  1	1			2 2	   1  1  1 3	 1 1  1  1 	   1  1 2	 1 1   						9 3 12 2 2 5 2 11
2. Sword and Bayonet	9 9							 1 1  1  1	1			2 2	  1  1  1 3	1 1 1 1 1		 1 1 1   						9 3 12 2 2 5 2 11 2 2
2. Sword and Bayonet Wounds 3. Otherwise  ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter  ORDER 4.—SUICIDE. 1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise  ORDER 5.—EXECUTION 1. Hanging  Violent Deaths (not classed) (OpenVerdicts—Found drowned, &c.)	9							 1 1  1  1 					   1  1  1 3	1 1 1 1 1 3	1 1	 1 1   						 9 3 12 2 2 5  2 11 2
2. Sword and Bayonet Wounds 3. Otherwise  ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter  ORDER 4.—SUICIDE. 1. Wounds { Gunshot Cut, Stab,&c 2. Poison 3. Drowning 4. Hanging 5. Otherwise  ORDER 5.—EXECUTION. 1. Hanging Violent Deaths (not classed) (OpenVerdicts—Found drowned, &c.)  Total, Class V  Sudden Deaths (cause not	9							 1 1 1  1  1 1 1 11	1 1 1 6 2	   1  1 12	        4	2 2 1 16 6		1 1 1 1 1 1 3 12 6		1 1 1	        		        	     		9 3 12 2 2 5 2 11 2 15 149

F 1.

Deaths from all causes, of Males, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1880.

	1	1	1	1		1	1	1	1	1	1	1			1						. j	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.  1. Small-pox  1a Chicken-pox  2. Measles  3. Scarlatina  3a Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough	 9  5  3 14	 18  3 1 3	 4  2  2 2	 1  5  3	 1  1  5	4 2 6 1	1   	  1 										 1  				 39 2 23 1 17 27
7. Typhoid (and Infantile Fever)		1	1	2		1	1	1	1	5	1	1	2				1					18
8. Erysipelas	  1 7 43 3	  5 19 5	  1 3	   1		  1	  1 1		  1 		   1		  1	1   1 1	   1		  2 	1 	1	 1  	··· ··· 1	1  1 2 19 72 11
16. Remittent Fever 17. Rheumatism	• • • • • • • • • • • • • • • • • • • •																					2
18. Pyæmia	"i					1																2
	86	65	15	12	7	18	4	2	2	6	2	2	3	4	1		3	2	1	1	1	237
ORDER 2.  1. Syphilis	2   2				1  1																	2 1  3
Order 3.				•••																		
<ol> <li>Privation</li> <li>Want of Breast-milk</li> <li>Purpura and Scurvy</li> <li>Alcoholism:—         <ul> <li>Del. Tremens</li> </ul> </li> </ol>	1 5 																 1					1 5 1
b. Intemperance									****		1	1	- · · · ·			1			•••		*	3
Order 4.  1. Thrush																						2
	2																					2
Total, Class I	96	65	15	12	8	18	4	2	2	6	3	3	3	4	2	1	4	2	1	1	1	253
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a Tumour 3b Polypus 4. Noma 5. Mortification	1 1 		1 1	1	1							1 1	1	  1	 2  1 	3	1 1 4	 2 1 	4	1   	 1  	1 10 17 2  1
0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2		2	1	1				5			2	1	1	3	3	6	3	4	1	1	31
Order 2.  1. Scrofula 2. Tabes Mesenterica 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	 8 2  1	2 11 4  1	3 1 	1 1 	2 1 	1 	3	5	11	9	 17 	5	10 	8	5	6	3				 1 	2 25 93  2 1
		1	1	1	1 -		1 0	1 -		1 0	1	1 -	1	0	-	0	0				1	100
	11	18	4	2	3	1	3	5	11	9	17	5	11	8	5	6	3				1	123

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis	9   53 1	7   13 	2    1 	2 2	   1	3 1    1 5	1    			2	   1	2    2 4	3 2  1  6	   1  2	 2  1  3	2 1   3	2 2  1  1	3 2   2 7	1			23 16 9 1  4 67 12 132
ORDER 2. 1. Pericarditis				 1 1	2			2 2	 1 1	2	 1 1	1 9 10	1 3 4	3	 7 7	1  6 7	 5 5	 5 5	4 4	4 4		1 2 55 58
ORDER 3.  1. Laryngitis	1 36 1 19 13 	1 14 1 9 9	2 5 3	1  1 4 2 1	1  1 	1 1  1 2 	  1	1	1 1 		1	 2 1 1	 2  1 	 4	2 1 1	 2  2	1  1 1	3 1 2 	 2 1 2 1 	7  1 		4 72 6 53 35 7 3
Order 4.  1. Gastritis	10 16 	34 1 6 	10 1 	9		1		1			1  1 	1		-4 		5	3	6		1 1 1 		180 12 30 1 2
5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines. 10. Fistula 11. Stomach Disease, &c 12. Pancreas Disease, &c	1 	   1											   				i i    i		   1	1   		 2 1   3  6
13. Hepatitis	2 29	8	1	1		1		1	1		2	1 2	1 3	2	 2  2	2	 1  3	3 4	 1  3	4		69
ORDER 5.  1. Nephritis							1   	1 	 1 			1 2   1	 1   1	 1   1	 1 1  1		 1 1  1 	   1	1  1  			5 1 9 1  3 5
ORDER 7.  1. Arthritis	3							1 2				4	2	2	3  1				2			1  3
ORDER 8.  1. Phlegmon  2. Ulcer  3. Skin Disease, &c	4											1					 1 1	1				2 5 7
Total, Class III	169	62	14	13	5	12	3	8	5	4	5	25	19	14	20	18	21	24	16	17		474

## F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	31 1 1 2 14																					31 1 1 2 29
ORDER 2.  1. Paramenia	49																					
ORDER 3. 1. Old Age																•••	6	2	2	19		29
Order IV.  1. Atrophy and Debility  Total, Class IV	99	15 30	1														6	2	2	19		115
CLASS V.—ORDER 1.  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds $\begin{cases} a \text{ Gunshot} \\ b \text{ Cuts} \end{cases}$ 3. Burns and Scalds 3a. Sunstroke	   5		 1  1  1 	   1 	 1   1  2	3    4  	2 1   2  2	3		1    	  1  1 			1    	   2  2			   1 	1     			11 2  1  13 5 
Order 2.—Violent Deaths in Battle. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE. 1. Murder	2 2													1								3 1
Order 4.—Suicide.  1. Wounds { Gunshot } Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise									1	1 1 2		 1 	1									1 2 1 1 5
Order 5.—Execution. 1. Hanging																						
Violent Deaths (not classed)  Total, Class V	7		2	1	2	7	5	3	1	3	2	2	1	2	2				1			42
Sudden Deaths (cause unascertained)									1													
Grand Totals	433	175	38	29	9	38	15	18	20	22	27	37	35	29	32	28	-	-	24	-	3	1,132

F 2.

Deaths from all causes, of Females, at different ages, registered in Suburban Districts, from 1st January to 31st December, 1880.

	1		1 (	)				1		r, 10			-	)		)	1	1	(	1	1 -:	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.  1. Small-pox  1a. Chicken-pox  2. Measles  3. Scarlatina  3a. Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough  7. Typhoid (and Infantile Fever)		 10 1 1  2 7	 4 1 4 1 1 2	 1  1 	 3  1 1 1	4 2 2 2		 1  1 														 31 4 7 3 9 23
8. Erysipelas	1 2  2 2 40 7  	1 17 1 	1 2 17			1  1  	2   1  1 1 5	   1 	4 1 2 1 8	3  3  1    7	2	1 1 2		3   1   	1     	  2 1  	1	 1    	1	2   2 		19 2 4  3 10 65 9  1 3 1
ORDER 2. 1. Syphilis	1								1   1													2   2
ORDER 3.  1. Privation										  1	2	  1		  1								1 6  5
ORDER 4.  1. Thrush	1 1	1 1 2		1							1 1 5											12 2 2 1 5
Total Class I  CLASS II.—ORDER 1.	86	42	17	4	7	9	5	3	9	8	5	3	•••	9		3	2		1			213
1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification					1		1	1	i i 	1	1	1 2	5	3	3	1 1	3	1 1 1	1 1	1		1 13 16 3  1 
	1				1		1	1	1	1	1	3	5	5	3	2	3	3	2	1		34
ORDER 2.  1. Scrofula	9 1  1 1	8 1  2				2	1 	7	18	13	16	9 1	2	3	1	3	2	1		1	 1 	 17 82  3 2
	12	11				2	1	7	18	13	16	10	2	3	1	3	2	1		_1	1	104
Total, Class II	13	11			1	2	2	8	19	14	17	13	7	8	4	5	5	4	2	2	1	138

### F 2-continued.

		1			,					nueu				)	1	`	1	1	1	1	1 =	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	6 1   41	3    17	   3		2    2	1		 1  1  1	  3  1		1  	1	1 2 2		1    1	1 3  1 	 2    3	1 1    2	 2 1   2	3 5	1 	14 15 7 1  9 65 18
	48	20	4	2	4	2	2	3	4	2	1	1	5	1	2	5	5	4	5	8	1	129
Order 2. 1. Pericarditis	1			 1 1		3	 1 1	4			 1 1	4	4	3	7	3	 8 8	1  2 3	4	 2 2		1  48 49
Order 3.  1. Laryngitis	34  17 11  62	 6  9 12 	3 4 3 10	2 3 1 	1 1  1 4  	 1  1  6	 2  2 1 	  1  	  2  1	1	 1   	 1  2  	1  1  1 	  1  1	 3  4 1 	 2  2  1 	2  1 	 2  2  	44 1 1 6	 4  1 1 1 		1 69  54 40 4 2
Order 4.  1. Gastritis 2. Enteritis 3. Peritonitis 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Fleus	7 12 1 	3 4  1				4	1  2 	 1 2 	:: 3 ::	2 1 4 	 1  1	 2  2	1  1	 1   2	 1  	 2  2 	 1 1 	 2  1 	 1 			14 32 13 6 3 2 3
8. Intussusception	 1  2 			•••				1	  1 	   1	  1  1	  2  1	 2  2			  1  1	  3  4	  1  1	  1 			 1 1  12 4 13
	26	8				4	3	4	4	8	4	7	6	6	1	6	9	5	3			104
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c			   1				 1  			 1   		1 		3				 1  1  2				7  1 1
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c					•••				2		1 1	1 1	1		1							2 4 6
Order 7.  1. Arthritis  1a. Ostitis, Periostitis, &c.  2. Joint Disease, &c							 1															 1
Order 8.  1. Phlegmon 2. Ulcer 3. Skin Disease, &c.																						
Total, Class III	1 138	55	15	9	11	15	13	12	13	12	8	17	19	15	19	19	25	18	18	17	1	469

## F 2—continued.

		1		-							1		1		1	1	1			1	ed.	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Agesnotspecified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth	26																					26
<ol> <li>Cyanosis</li> <li>Spina Bifida</li> </ol>	1																					1
4. Other Malformations	2																					2
5. Teething	12	8																				20
	41	8																				4.0
ORDER 2.							,								-							
<ol> <li>Paramenia</li> <li>Childbirth (See Metria)</li> </ol>								1		2	6	5										18
2. Officiality (See Meella)												-	-									18
								1		2	6	5	3	1								
ORDER 3. 1. Old Age																	3	3	3	20		29
ORDER 4.  1. Atrophy and Debility	108	12		1.																		121
Total, Class IV		20		1	-			1		2	6	5	3	1			3	3	3	20		217
		-		-																-		
CLASS V.—ORDER 1.— CCIDENT OR NEGLIGENCE.																				,		
1. Fractures & Contusions  9. Wands (a. Gunshot														1	•••					1		
2. Wounds (b. Cuts												,										
3. Burns and Scalds 3a. Sunstroke			1									1										i
4. Poison																						
4a. Bite of Snake or Insect 5. Drowning										1												
6. Suffocation	2																					2
7. Otherwise				,		1												•••				
	2		1							1		1		1						1		7
Order 2.																						
10 Gunshot Wounds	1		1				1													,		
2. Sword and Bayonet												1										
Wounds																						
5. Otherwise							-			-												
			•••					••••														
ORDER 3.—Homicide.																						
1. Murder														•••								
		-	-	-	-	-	-	-	-		-	-										
0 4 0																						
ORDER 4.—SUICIDE.  Gunshot																						
1. Wounds & Gunshot Cut, Stab, &c.											1											
2. Poison																						
4. Hanging												1			1							
5. Otherwise							-				1	1			1							
ORDER 5.—EXECUTION. 1. Hanging																						
Violent Deaths (not classed)										•••												
Total, Class V	2		1							1	1	2		1	1					1		10
Sudden Deaths (cause un- ascertained)												′										
Causes not specified or	-									1	4.											
ill-defined		•••							41		97	40		20		97	25	26	24	42	2	1,04
GRAND TOTALS	388	128	33	14	19	26	20	24	41	38	37	40	29	30	25	27	35	20	21	42	2	1,04

F 3.

Deaths from all causes, of Both Sexes, at different ages, registered in the Suburban Districts, from 1st January to 31st December, 1880.

						9	ISU -	Dece	шие	r, 18											- g -	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.  1. Small-pox  1a. Chicken-pox  2. Measles  3. Scarlatina  3a. Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough  7. Typhus (and Infantile Fever)  8. Erysipelas  9. Metria  10. Carbuncle  11. Influenza  12. Dysentery  13. Diarrhœa  14. Cholera  15. Ague  16. Remittent Fever  17. Rheumatism  18. Pyæmia	 17  5 27 1 2  3 9 83 10  1	28 1 4 1 5 17 17 6 366 6	8 1 6 1 3 4 4 2 1 1 5 5	2 2 2 2 1	4 2 1 6 1 	88 44 66 33 1 1 1 1 1 1	1	1 1				2	2				         	1 1			1	70 6 30 4 26 50 35 4 5  6 27 135 24  1 5 3
ORDER 2.  1. Syphilis	3			15  	1 1				1   1													4 1 5
Order 3. 1. Privation	2 11 										3	2		1	1 1	  1	 1  1					2 11 1 1 8 23
ORDER 4.  1. Thrush	3	1 1 2		1 							 1 1											4 2 1
Total, Class I	182	107	32	16	15	27	9	5	11	14	8	6	3	9	3	4	6	3	2	3	1	466
CLASS II.—ORDER 1.  1. Gout	2 1		1 1	1	1 1		1	1	1	1	1	3	1 5 	 2 3   1	 2 3 1 	1 3 1 	1 4 4 	1 1 3 1 	 1 5  	1  1 	 1  	2 23 33 5  1
0	3		2	1	2		1	1	1	1	1	5	6	6	6	5	9	6	6	2		65
Order 2.  1. Scrofula 2. Tabes Mesenterica. 3. Phthisis 3a. Hæmoptysis 4. Hydrocephalus 4a. Abscess	17 3	2 19 5  3	3 1 	1 1 	1  	3	4	12	29	22	33	14  1	12 	11	6	9	 5 	1 		1  	2 	2 42 175  5 3
Total, Class II	23 26	29	6	3	3 5	3	4  5	12 13	29 30	22 23	33	15 20	13	11 17	6	9	5	7	6	1 3	2 3	227

## F 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy. 7. Convulsions 8. Brain Disease, &c.	1    94	10	2   4 1	2	2 2 1	4 1 2	1	1   1  1	  3  1	 2  1  1	1	2  1  2	1 3 2  3  2		3   1 	1 3 2 1  1 	1  4 2  1	3   4	2 2    2	3  5  	1	37 31 11 7  13 132 30
	111	40	7	4	5	7	3	3	4	4	2	5	11	4	5	8	11	11	6	9	1	261
Order 2. 1. Pericarditis				2	 2 -2	3	 1 1	6	1 1	 2 2	 2 2	 1 13 14	1 7 8	6	14	1  9	13 13	1  7 8	8	6		$ \begin{array}{c} 2 \\ 2 \\ 103 \\ \hline 107 \end{array} $
Order 3.  1. Laryngitis 2. Bronchitis 3. Pleurisy 4. Pneumonia 4aCongestion of the Lungs Pulmonary 5. Asthma 6. Lung Disease, &c	70 1 36 24	1 20 1 18 21 	5  9 6 	1 2 1 7 3 1	1 2  1 5 	1 2  5 3 	2  2 1 1	 1  1	1  1 2  1	1	1  1	1  4 1 1	3 2	 4 1 	5  4 2 1	2 4 3 1	 3  1 1 1	5 1 4	 6 1 2 2 1	 11  1 2 1		5 141 6 107 75 11 5
	132	61	20	15	9	12	6	2	5	1	2	7	7	6	12	10	6	10	12	15		350
Order 4.  1. Gastritis	28 1  4  1  4	4 10 1 1	1 			5	1 2	2 2	 3     1 5	2 1 4      1  8	2 1	3 2	1 2 2 3 3 9	1 2	1	2 2	1 1 1 1	2 1	1 1 1 1 1 2 6	1 1 1 1  1    		26 62 15 8 2 4 4  1 4  18 6 23  173
ORDER 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c			  1 1				1 2	1	1 1	1 1		1  3   1 -5	 1   1 2	4 1 	1 1  1 3	   1 1	1 1  1  3	 1  2  3	1  1   			5 1 16 1  4 6 - 33
ORDER 6.  1. Ovarian Dropsy									2				1		1							2 4
Z. Oterus Disease, &c									2		1	1	1		1					,		6
ORDER 7.  1. Arthritis							 1 1	1 2 3									···					1 4 5
Order 8.  1. Phelgmon	1 4 5											1 1					 1 1	1 1				3 5 8
Total, Class III	307	117	29	22	16	27	16	20	18	16	13	42	38	29	39	37	46	42	34	34	1	943

## F 3—continued

		)			1		1		1	1	1		1	)		1	1	1			p	1
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	57 2																					57 2
3. Spina Bifida	$\begin{array}{c} 1\\4\\26\end{array}$	 23																				1 4 49
	90	23					,								···							113
ORDER 2. 1. Paramenia										2	6	 5	3									
			7,					1		2	6	5	3	1				ī				18
ORDER 3.  1. Old Age																	9	5	5	39		58
Order 4.  1. Atrophy and Debility	207	27	1	1																		236
Total, Class IV		50	1	1				1			6	5	3	1			9	5		39		425
CLASS V.—ORDER1.—ACCI- DENT OR NEGLIGENCE.  1. Fractures & Contusions						3	2	3		1				2					1	1		13
2. Wounds $\begin{cases} a. \text{ Gunshot} \\ b. \text{ Cuts.} \end{cases}$					1		1															2
3. Burns and Scalds 3a. Sunstroke			2									1										2
4. Poison											1											1
4a. Bite of Snake or Insect 5. Drowning			1	1	1	4	2			1	1				2	,		1				14
6. Suffocation	7																					7
	7		3	1	2	7	5	3		2	2	1		2	2			1	1	1		40
ORDER 2.— VIOLENT DEATHS IN BATTLE.  1. Gunshot Wounds																						
2. Sword and Bayonet Wounds												•••										
																	-90					
ORDER 3.—HOMICIDE. 1. Murder 2. Manslaughter	2											 1		1								3 1
-/	2											1		1								4
ORDER 4.—SUICIDE.  1. Wounds { Gunshot Cut, Stab, &c	•••									1												1 3
2. Poison												1										
4. Hanging										1		1			1							1 3
o. Contraine								···	1	2	1	2	1		1							8
ORDER 5.—EXECUTION. 1. Hanging										-,				·								
Violent Deaths (not classed) (OpenVerdicts — Found drowned, &c.)																						
Total, Class V	9		3	1	2	7	5	3	1	4	3	4	1	3	3			1	1	1		52
Sudden Deaths (cause un- ascertained)																						
Causes not specified or ill-defined									1	1												2
GRAND TOTALS	821	303	71	43	38	64	35	42	61	60	64	77	64	59	57	55	75	58	48	80	5	2,180

G 1.

DEATHS from all causes of Males, at different ages, registered in the Country Districts, from 1st January to 31st December, 1880.

CAUSES OF DEATH.	Under 1 year.	years.	years.	years.	years.	years.	15 years.	20 years.	25 years.	30 years.	35 years.	40 years.	45 years.	50 years.	55 years.	60 years.	65 years.	70 years.	75 years.	s and	Ages not specified.	1
	Under	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 1	15 to 2	20 to 2	25 to 3	30 to 3	35 to 4	40 to 4	45 to 5	50 to 5	55 to 6	60 to 6	65 to 7	70 to 7	75 years and	Ages no	Total.
								1									-					
CLASS I.—ORDER 1.																						
1. Small-pox																						
2. Measles	13	11	5	2		1 5	1 1	1	3	1								1		•••		36 11
3a. Diphtheria         4. Quinsy         5. Croup	3 1 9	15 1 10	6 1 14	1 7	2 1	14 5	4	4				1					1	1				55 4 46
6. Whooping-cough 7. Typhus (and Infantile	8	5	2																			15
Fever)	5 3	9	2	4	1	3	8	3	17 2	5	3	1	2		1 3	4	1 3	3	$\begin{array}{ c c }\hline 1\\ 2\\ \end{array}$	1		76 15
9. Metria 10. Carbuncle 11. Influenza	14																			1		1
12. Dysentery	23 57	15 18	2 4		2	3		1	1	1	1	1	1		$\begin{bmatrix} 1\\2\\2 \end{bmatrix}$	1 1 1 1	8 6	$\begin{array}{ c c }\hline 1\\ 4\\ 5\\ \end{array}$	$\begin{bmatrix} 3 \\ 6 \\ 2 \end{bmatrix}$	3 4	1	21 75 99
14. Cholera	13	1									1 1		2	1	1	3	1			1		24 2
16. Remittent Fever 17. Rheumatism	2					1	1 1	2	3		1	2	1	1	1	3	3	1	1	1		4 21
18. Pyæmia	150			10			17	1	1			1		1								5
Order 2.	152	86	36	18	6	32	17	12	28	7	7	10	6	3	11	13	23	16	15	11	1	510
1. Syphilis 2. Stricture of the Urethra	1												1 1		1		2		2			3 8
3. Hydrophobia																						
	1										AL.		2		2	1	2	1	2			11
ORDER 3. 1. Privation							1			2	1	2	2	2	4		4	4		3	2	27
2. Want of Breast Milk 3. Purpura and Scurvy	30																					30
4. Alcoholism— a. Del. Tremens									1			1		1		1					1	5
b. Intemperance	30						 1	···	1	2	1	3	$\frac{2}{4}$	2 5	5	4 5	8	$\frac{1}{5}$	$\frac{1}{1}$	3	$\frac{2}{5}$	21 83
ORDER 4.																				-		
1. Thrush	14		1	•••																		14
2a. Hydatid							1										···					1
Total, Class I	$\frac{14}{197}$	86	$\frac{1}{37}$	18	6	32	19	12	29	9	8	13	12	 8	22	 19	33	22	 18	14	6	$\frac{16}{620}$
Total, Class 1																						
CLASS II.—ORDER 1.																						
1. Gout										•••	1		2	1 5		1 2	1 7	 7	 4			4 37
3. Cancer				1				1	1 1	2	1 1	4	4 3	6	7 2	15 	20	12 1	16	12		100
3b. Polypus		1																				
5. Mortification															1			1		3	•••	5
		2						1	3	2	3	6	9	12	13	18	29	21	20	18		159
ORDER 2.							1				-				1							2
1. Scrofula	16 5	12 1	2	2		 5	2	11	26	34	33	26	36	 24	24	9	15	5	5	2	2	32 266
3a. Hæmoptysis		5	1	 1	1								2	1								3 14
4a. Abscess		1						11	26	1 35		1 27	1 30	1	2		15	 		$\frac{1}{2}$		8
m + 1 Cl TT	27	$\frac{19}{21}$	$-\frac{4}{4}$	$\frac{3}{4}$	1	5	3 3	$\frac{11}{12}$	26 29	$\frac{35}{37}$	33	27 33	39 48	38	27 40	9 27	$\frac{15}{44}$	5  26	$\frac{5}{25}$	$\frac{3}{21}$	$-\frac{2}{2}$	$\frac{325}{484}$
Total, Class II	28	21	4	4	1												2.1		20	-1	-	101

### G 1—continued.

										nued							,		1			
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified,	Total.
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	28   195	7 1  1  39	5	1	1 1	5 2 5	 2  1  2	 2   4	1  2 2  4  2	 4 3 1  1  6	 2 5 3  2  4	 5 10 5  4 	 8 15 7  3  2	 5 7 4  1  6	 8 5 4  1  4	5 7 4  1	7 13 6  1 	7 9 3 1 2	5 14 1 	 6 13 2   6		48 63 107 42 1 22 238 55
	226	48	9	1	2	12	5	6	11	15	16	27	35	23	22	18	29	22	21	27	1	57
Order 2. 1. Pericarditis	2	 1 1	 2 2			 1 1	1  6 7	1 4	2  4 	9	1 2 8	1 2 8	1 24 25	2 1 13 16	2 21 23	 1 26 27	 1 27 28	1 1 29 31	29	 14 14	1 3 4	$\frac{1}{23}$
Order 3.  1. Laryngitis	 76 1 28 16  5	1 17  5 9  1	 8 1 7	2 6  6 1 1	1 2	1 6  2 1 	 2  2 1  1	1  13 1 	 1  9 2  2	 2 1 8 	 1  7 2  3	2 2 9 3 	 3 5 14 3 1 2	 2 1 18 2 1 1	 4 2 12 3 3 4	 5  8 5 6	11 2 15 6 4 4	 8 1 12 4 2 3	 12  7 2 1	1 8 1 8		17 1 19 6 2 3
	126	33	17	16	3	10	6	15	14	11	13	19	28	25	28	24	42	30	22	23		50
ORDER 4.  1. Gastritis	4 27 9 4 1 5 1	1 4 1	 1    	1    	    	3	1 1  2   1  1 2 	2 3	1 3   1  2  1 2 	1 2	1 1 2	2 2 1 2	2 1 1 1 1 1 6 6	2 1  1  2 1 1  5  6 	 2 2 1  2    5 	1 1 1 1 1  4 	1 2 1 1 1 2 2 3 8	1 7 1 1 1 2 1 3		1 3  2  1 1  1  6 	     22 22 	11 11 11 55
	51	6	1	1	1	4	8	5	10	3	10	11	12	21	12	14	21	17	7	16	4	23
Order 5.  1. Nephritis 2. Ischuria 3. Nephria 4. Diabetes 5. Stone 6. Cystitis 7. Kidney Disease, &c.	1	1  1  1		1			  1			 1  	1	2	1 1 1	6	3 1  1 2	5  1 2	1  2 3  2 2	2  2  2 2 1	 3  2 3 3	2 1 3 3	2	2
	1	3		1			1			1	1	2	4	6	7	8	10	9	11	9	2	7
Order 7.  1. Arthritis  1a. Ostitis, Periostitis, &c.  2. Joint Disease, &c					1 1		 1 1	1  1 2		1 1		2 2					2 2	1				
ORDER 8. 1. Phelgmon											1	1				1				1		

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.		50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	ye	Agesnotsnecified	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis	85 4 1 8 35	21																				85 4 1 8 56
Order 3.											,		•••	•••			47	51		237	3	420
ORDER 4.  1. Atrophy and Debility  Total, Class IV		13															47	51	82	237	3	147 721
CLASS V.—ORDER 1.—  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds $\begin{cases} a$ . Gunshot. $b$ . Cuts 3. Burns and Scalds 3a. Sunstroke. 4. Poison 4a. Bite of Snake or Insect 5. Drowning 6. Suffocation.	1  2 1  3 6	 7  2  7	3  6 2 1  9	3  5 1  1	2  4   1	5 1  4  1 3 11 1	17 2   2 7	17 5  1 1  6 2	19 3   18	24 3  1 1 18 1	15 1  1 2 1  8	18 1 1  13 2 1	21 1 2  1 1 	20 1 1  2  11 2	13 2  1 2 1  4 1	10 1 4	7  1  1  6 1	5 1  1 1 3	7  1   2 1	6   1  4	8 2    5	219 24 4 34 14 12 6 152 19
7. Otherwise ORDER 2.—	13	17	21	10	7	26	29	32	40	49	30	36	37	37	24	15	16	12	11	11	15	488
VIOLENT DEATHS IN BATTLE.  1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise				•••																		::
Order 3.—Homicide. 1. Murder 2. Manslaughter						1				1					1 1	1	2 1			 1	1	6 5
ORDER 4.—SUICIDE.  1. Wounds { Gunshot Cut,stab,&c 2. Poison 3. Drowning 4. Hanging 5. Otherwise						1	1		1	2  1 	1 1 1	 1 	1 2  2 	1 2	1 2 4 		3 1 2 2 1	1 2		 1  1 	1   1	8 6 13 2 11 1
ORDER 5.—EXECUTION. 1. Hanging			•••				1		$-\frac{2}{-}$	3	2	2	5	3	7		9	3		2		1
Violent Deaths (not classed)  Total, Class V	13	17	21	10	7	27	30	32	43	53	33	38	42	40	33	17	28	15	11	14	17	541
Sudden Deaths (cause unascertained)																•	•••					
Causes not specified or ill-defined	911		91		21	91	80	89	 142	120	129	157	1 207	2 180	197	1	285	1 225	226	376	9 48	4,041

G 2.

Deaths from all causes, of Females, at different ages, registered in the Country Districts, from 1st January to 31st December, 1880.

					-		150.	Dece	,11100	er, 18	300.											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.  1. Small-pox  1a. Chicken-pox  2. Measles  3. Scarlatina  3a. Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough  7. Typhus (and Infantile Fever)  8. Erysipelas  9. Metria  10. Carbuncle  11. Influenza  12. Dysentery  13. Diarrhea  14. Cholera  15. Ague  16. Remittent Fever  17. Rheumatism  18. Pyæmia	1 7 4 6 7 13 4 2 2 16 48 6 1 117	8 1 6 5 3 3 2 1 11 14 1 2 57	1 1 8 2 4 4 2 1 7 3 1 1 1 1 1 31	1 2 7 6 2 1 2 1 1 1 23	1 8 1 6 1 1 1 1	1 2 2 15 2 5 7 1 1 1 1 1 1 2 40			1 1 1 1 1 1 10 1 1	  1   6 2 1      1					2	1						2 20 17 70 5 34 19 73 8 11 12 47 74 11 2 6 6 13 6
ORDER 2.  1. Syphilis 2. Stricture of the Urethra 3. Hydrophobia 4. Glanders	3									 1	1											4  1 5
Order 3. 1. Privation	16	1							1		  1		3	1		  1		1   				3 16 1  6 26
Order 4.  1. Thrush	9 9	58	31	23	1 1 19	40			16					  7								9  1 10 471
CLASS II.— ORDER 1.  1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	1 1		1   					1    1	1	3	1 4 2   7	 4   1	8 2 	3 8 2 	4	1 3 6 2  	 2 7 1  1 11	 5 7 1   	 3 2 1  	7 1 1  1		1 28 54 12  3
Order 2.  1. Scrofula	1 30 2  5 1	1 4 2  4	2	  1	  1	5	5	18	20 1	1  15 	 17 1  2	1 12 1 	1 11 1	9	4	2	3	3	4			5 34 134 3 10 5
Total, Class II	39 40	11 11	3	1	1	5	5	$\frac{18}{19}$	21 22	16	27	14	13	9 22	8	14	$\frac{3}{14}$	$\frac{3}{16}$	$\frac{4}{10}$	10		191

## G 2—continued.

						,	- 4	_	conti	70000	<i>v</i> .											
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total,
CLASS III.—ORDER 1.  1. Cephalitis 2. Apoplexy 3. Paralysis 4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c	20   1 128 1	9	2			1 1 3 1	2  1 1  2	1 4	1  6  1	 3  2	 4  1  2  1	 3 2  3  1	3 2 2 4	3 2 1  3 	3 2  1  2	 2 1 2 	3 4 1  1	2 1    1	2	 2 7 1  	2	35 30 20 12 2 29 160 17
	150	34	6	4		7	6	5	9	5	8	9	11	10	8	5	10	4	2	10	2	305
Order 2.  1. Pericarditis	 2 		1			3	1	4	1  6 7	 5 5	1 8 9	 1 5 	 2 5 7	1 9	 8 8	6	12	 5 5	9	6		3 4 94 101
Order 3.  1. Laryngitis	1 61  27 9  2	17  9 6 	7 3 2 1	7 2	2  1 2 	1 2  8 1  2	4	6 1	3  6 1  2	 2  1	 5 1 1	1 2 11 1 3	 3 2 7 2 1 	 1 4  1	 1  5	 2  5 1 1	7  6 1 3 3	7 5 3 2 2	7  1  1	 5  1 1 1		5 131 3 118 33 16 13
	100	32	13	9	5	14	4	7	12	3	7	18	15	6	8	9	20	19	10	8		319
Order 4.  1. Gastritis	4 17 2  2  1  1 2 1	2 3	2	1 1 1 2		1 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1	13	 1 1   1  1  1  5	3 1 1   1  1  3 	1 2 2 2 1 1 1	2 1 1	2 1 1 1	1 4 1  1    1  	1 5 1 8 16	1 1 2 1 2 10		1 2 1 1 2 1 2 6	1 1	20 47 18  2 12   6  11 5 28 
Order 5.  1. Nephritis		1		 1   				 1 1  		 2    2	 1  2 3		 1   	1		 1   	 1   	 1   1 2		 1   1		10 3  3 16
1. Ovarian Dropsy 2. Uterus Disease, &c								1	1 1			1		1			1					$-\frac{1}{4}$
ORDER 7.  1. Arthritis						 1 1		1										 1 1				1  2 3
ORDER 8.  1. Phlegmon															1		 2  2					3 3
Total, Class III	282	72	22	16	5	28	14	22	32	28	32	44	41	38	30	29	62	41	28	31	4	901

## G 2-continued.

										oucu							,	,	1	1	1 -1	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.  1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	61 5 3 1 31																					61 5 3 1 48
	101	17					•••					•••										118
Order 2. 1. Paramenia								3 3	2 6 8	14	 14 14	20 20	10	1 1								2 68 70
ORDER 3. 1. Old Age																	22	19	32	81	_1	155
ORDER 4.  1. Atrophy and Debility.		11	2				•															118
Total, Class IV	206	28	2					3	8	14	14	20	10	_1			22	19	32	81	1	461
CLASS V.—ORDER 1.  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions 2. Wounds { a. Gunshot b. Cuts		2  6 2 1  7 	3  6 1  1 	3  4 1 1 	1 3 1 1	2  6 2 3 2 3 	4 1 4	2  1 1 1  2  1	3 1  2 1  2  2  1	2  1 1 1	4	2  1 2  1 	 1  2  1	1 1	1 1 1 1	1	 1  1 	1	i i i i i i i i i i i i i i i i i i i	1	2	28 1 2 40 9 10 2 32 6 5
	8	18	11	9	5	18	14	8	10	5	4	6	4	2	4	1	2	1	1	2	2	135
ORDER 3.—HOMICIDE.  1. Murder 2. Manslaughter	2							1 1								1	1					4 1 5
Order 4.—Suicide.  1. Wounds { Gunshot Cut, Stab, &c. 2. Poison 3. Drowning 4. Hanging 5. Otherwise										1	 1 1  2	1	1	1  1		1 1 2						 1 1 3 3 
Order 5.—Execution. 1. Hanging																						
Violent Deaths (not classed)																						
Total, Class V	10	18	11	9	5	18	14	9	10	6	6	7	5	3	4	4	3	1	1	2	2	148
Sudden Deaths (cause unascertained)																						T
Causes not specified or ill-defined																						
		187	69	49	30	91	52	77	88	80	92	-	-	71	47	-	108	-	76	-		

G 3.

Deaths from all causes, of Both Sexes, at different ages, registered in the Country Districts, from 1st January to 31st December, 1880.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1. 1. Small-pox	 1 20 5 9	19 2 21	 6 1 14	 1 4 11	 1 10	 1 3 7 29	 1 3 14	3 8	 4 1 1	1								 1  2				 2 56 28 125
4. Quinsy 5. Croup 6. Whooping-cough 7. Typhus (and Infantile	1 16 21	1 15 8	3 18 4	1 13	1 7 	2 10 	1	1														9 80 34
Fever)	9 5  16	12 2  1	3	6 2	2	10   1	12 1 	16  2 	27 2 1  2	11 2 1 	9  2  2	8 1 3 	7  2 	2	3 3  1	5   1	2 3 	4 2	1 2  5	2  1		149 23 11 1 33
12. Dysentery         13. Diarrhea         14. Cholera         15. Ague         16. Remittent Fever         17. Rheumatism	39 105 19  2	26 32 2  2	9 7 1 	1  1 1	2  1 	4  1 1  3	1 2	2 3	 1  3	1	1 1 1 1 	2 2 2 	3  2  1	2 1 1  2	2 3 1 	3 2 3 	10 6 1  1 6	5 6  1 3	7 3 1	3 4 1 		122 173 35 4 10 34
18. Pyemia	1						1	1	1	. 1		1	3	_ 1					1			11
Order 2.	269	143	67	41	24	72	36	36	43	19	18	26	18	9	15	17	30	24	20	12	1	940
1. Syphilis	4									   	1		1 1 		1 1 	1 	2 	1	2			7 8  1
	4									1	1		2		2	1	2	1	2		***	16
ORDER 3. 1. Privation	46	 1					1			2	1	2	2	3	4		4	5		3	2	30 46 1
a. Del. Tremens b. Intemperance	46	1					1		1 2	2	1 2	1 3	5 7	$\frac{1}{2}$	6	$\frac{1}{5}$	4 8	1 6	1 1	3	$\frac{1}{2}$ $\frac{1}{5}$	$\frac{5}{27}$ $\frac{109}{109}$
ORDER 4.  1. Thrush 2. Worms, &c. 2a. Hydatid	23		 1		1																	23 1 2
	23		1		1		1															26
Total, Class I	342	144	68	41	25	72	38	36	45	22	21	29	27	15	27	24	40	31	23	15	6	1,091
CLASS II.—ORDER I.  1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification	 2  	 1  1 	 1  	 1  				1 1 	 2 1 1 	 3 2 	1 1 5 3 	 1 8 1  1	 2 12 5 	1 8 14 2 	3 11 2  1	2 5 21 2 	1 9 27 2  1	 12 19 2  1	 7 18 1 	10 13 1  4		5 65 154 24  1 8
	2	2	1	1				2	4	5	10	11	19	25	17	30	40	34	26	28		257
Order 2.  1. Scrofula	1 46 7 	1 16 3  9	 2 3  1	 2  2		 10 	1  7 	29	 46 1	1 49 	50 1	1 38 1	1  47 2 	 33 1	1 28 	 11 	 18 	8	9	2	2	$ \begin{array}{c} 7 \\ 66 \\ 400 \\ 6 \\ 24 \\ 13 \end{array} $
4a. Abscess	1	1			1	10		20	47	$\frac{1}{51}$	$\frac{2}{53}$	$\frac{1}{41}$	$\frac{2}{52}$	35	$\frac{2}{31}$	11	18	8	9	1 3		516
	66	30	6	4	2	10	8	29	生/	OI	99	TI	04	00	OI		-0	0	0	9	_	

## G 3—continued.

CLASS III.—ORDER 1.       1. Cephalitis       48       16       7       1       1       6       2       1       1	2 93 . 127 . 54 . 3
1. Cephalitis       48       16       7       1       1       6       2       1       1 <td>2 93 . 127 . 54 . 3 . 51 . 398 1 72</td>	2 93 . 127 . 54 . 3 . 51 . 398 1 72
1. Pericarditis	
	12 16 3 325 4 353
ORDER 3.         1. Laryngitis	306 20 310 . 95 . 37 . 45
ORDER 4.  1. Gastritis	35 1100 1100 1100 1100 1100 1100 1100 11
Order 5.  1. Nephritis	2 4 38 8 6 14
Order 6. 1. Ovarian Dropsy 2. Uterus Disease, &c	4
Order 7.  1. Arthritis	. 2
1 1 1 3 1 2 2 2	. 13
Order 8.  1. Phlegmon	9

## G 3—continued.

		1					1	1		1	1		,	1	·	1	1	-	-	1	1 75	
CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and	Ages not specified.	Total.
CLASS IV.—ORDER 1. 1. Premature Birth 2. Cyanosis 3. Spina Bifida 4. Other Malformations 5. Teething	146 9 4 9 66																					9 4 9
	234	38																				272
Order 2. 1. Paramenia								3	2 6	14	 14	20	10									68
								3	8	14	14	20	10	1		•••						70
Order 3.  1. Old Age  Order IV.	•••																69	70	114	318	4	575
1. Atrophy and Debility	239	24	2																			265
Total, Class IV	473	62	2					3	8	14	14	20	10	1			69	70	114	318	4	1,182
CLASS V.—ORDER 1.  ACCIDENT OR NEGLIGENCE.  1. Fractures & Contusions  2. Wounds { a. Gunshot b. Cuts}  3. Burns and Scalds  4. Poison	2  2 1  3 12 1	2  13 2 3  14 1 	6  12 3 1  10 	6  9 2 1  1 	1 2 7 2 12	7 1  10 2 4 5 14 1 	21 2  4  1 2 11 1 1 1	19 5  1 2 2  8 2 1	22 4  2 1  20  1	26 3  1 2  19 1 2	15 1  1 2 1  12  2	20  2 3   14 2 1	21 1 2 1 1 3  12 	20 1 2 1 2  11 2  39	14 2  2 3 1  5 1 	10   1  5 	7 2 1 7 1 18	6 1  1 1 3  	7  2  2 1 		8 2	247 25 6 74 23 22 8 184 25 9
Order 2.—Violent Deaths in Battle. 1. Gunshot Wounds 2. Sword and Bayonet Wounds 3. Otherwise																						
ORDER 3.—HOMICIDE. 1. Murder	2					1		1 1		1	1 1				1 1 2	2 2	3 1 4			1	1	10 6
Order 4.—Suicide.  1. Wounds { Gunshot } Cut, Stab, &c.  2. Poison							  1 		 1  1 	2  1  1 	 1 1 2 	 1 1 1 	1 2  1 2 	 1 1  2 	1 2 4   7	1  2  3	3 1 2 2 1 	1  2   3		 1  1 	   1	8 7 14 5 14 1 49
Order 5.—Execution. 1. Hanging	•••								1							•••						1
ViolentTeaths (not along d)																						
Violent Deaths (not classed)	23	35	32	19	12	45	44	41	53	59	39	45	47	43	37	21	31	16	12	16	19	689
Total, Class V  Sudden Deaths (cause un-																						
ascertained)													1	2		1		1			θ	14
GRAND TOTALS	1594	436	160	100	51	182	132	166	230	219	221	263	301	251	234	209	393	311	302	501	55	6,311

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales, during each Month of the year 1880, classified under the heads of the several causes of Death.

	Janu	ary.	Febru	ary.	Marc	eh.	Apr	il.	May	y.	June	e.	July		Augus	t. S	Septem	ber.	Octob	er.	Nover	nber.	Decer	nber.	Tot	al.	al.	of the of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Percentage total Death: the Year.
I.—Zymotic Diseases.  1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)  2. Enthetic Diseases—(Syphilis, Gonorrhea, &c.)  3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)  4. Parasitic Diseases—(Thrush, Worms, &c.)	1 9	91  1 2	68 3 8 1	68  7 1	86 2 5 1	67 2 5 4	71 5 10 2	60 3 6 1	74 4 5 3	47 1 6 2	37 2 14 2	64  5 5	45 4 5 5	37 1 4 2	50 1 9		 9	73 1 3	120 $2$ $15$ $2$	3	3	1	1		28 118	13	1,910 41 175 44	
Total  II.—Constitutional Diseases.  1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)  2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	-	19	80 13 47	13		6	19	12	30	15	55 17 46	17	18	18 33	16	15	19	19	31	17	24	16	24	18	241	185	426 1,040	3·79 9·26
Total	63 79					-									65				+								1,499	19,97
<ol> <li>Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)</li> <li>Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma,</li> </ol>	39	13	27	17	22	13	32	13	30	17	32	23	33	18	55	18	28	19	34	18	33	13	31	22	396	204	600	5.34
Pleurisy, &c.)  4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.)  5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.)	31 13	34	37 36 10	31		31	51 10	21	69 22 13	34		25		26	96 26 12		28	14	114 28 11	25	34	35	51	36	396	666 339 52	1,548 735 210	6.5
6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease,	1	1 1		2 2	2				3		3	1		3	3	1	,	1 1				2 1	1		16	14 6	14 22	0.1
Čc.) Total	-	146	178	133	184	135	222	133		151	226	-	206	157	$\frac{1}{259}$	171	260	160	974	176	3	100	2	10/	16		21	0.1
IV.—Developmental Diseases.  1. Diseases of Children—(Cyanosis, Teething, &c.)  2. Diseases of Adults—(Paramenia, Childbirth, &c.)  3. Diseases of Old People—(Old Age, &c.)  4. Diseases of Nutrition—(Atrophy, Debility)	26	23 10 15	30  31 23	23 4 14	32	$ \begin{array}{r}     20 \\     6 \\     15 \end{array} $	26  41	12 11	27  52	15 9 21	19  55 27	$\frac{-15}{6}$	25  36	21 10 18	13	$\frac{13}{7}$ 25	21	15 $14$ $24$	14  30 30	22 10 15	2 21 3 36 2 39	17 12 18	7 22 2 5 51	28 11 18	276  480	219 110	701	0·9 6·2
TotalV.—VIOLENCE.	98	82	84	67	107	69	101	69	101	73	101	65	83	63	71	55	76	68	74	79	96	87	7 117	94	1109	871		
<ol> <li>Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &amp;c.)</li> <li>Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds)</li> </ol>	61	12													52		-				-				607	165	772	6.8
3. Homicide—(Murder and Manslaughter). 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging) Violent Deaths not classed	2 4	3	 5 	₂	2	3	2	1 1 	1	 1 			3 2 	2	₄		3 2 	2	1 4 	]	1 7		1 5		2 20 L 58	3	32 68 3 15	0.6
Total	70	15	60	16	60	24	38	16	60	15	47	-	57	19	57		42	10	58	-	8 59	-	-	7 20		195		
Unspecified		2	9	4	3	3	3	1	3		4	1	3	3		4	4	]	2		4	1 :	2 4	1		3 23		
Totals from all causes	. 567	398	471	353	519	369	526	345	545	344	506	355	479	337	522	342	530	361	619	447	7 646	3 46	4 708	8 47	8 6638	3 4593	11,231	100.0

54

787

190 88

I.

Table showing the Deaths which have occurred, from the causes stated, in each of the several Wards of the City of Sydney, from 1st January to 31st December, 1880, distinguishing those under Five years of age.

SYDNEY, Iron	-	1		1	Brish		-			-		0														
CAUSES OF DEATH.	-	ps.		AC.	-	ane		darre.		K.	-1	oy.		пр.	-	son.		To	tal De	eaths f	rom ea	ach Ca	use in	Sydne	y.	
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.
CLASS I.—ORDER 1.  1. Small-pox  1a. Chicken-pox  2. Measles  3. Scarlatina  3a. Diphtheria  4. Quinsy  5. Croup  6. Whooping-cough  7. Typhoid (and Infantile	12 3 1  4 8	2 1 	2	2	13 2 1 		5 1 2  3 4	1	 33 2  1 3 11	3 2	12 2 	4	14  1		36 3 2 	2 1 	144 16 8 1 20	 1 13 12  40 3	17 1 34	20 3 17	17 3 34	36 3 4 4 27	37 12 5	5 16 2 18	7  18	2 7 1 5 63
Fever)  8. Erysipelas  9. Metria (See Childbirth)  10. Carbuncle  11. Influenza  12. Dysentery  13. Diarrhea  14. Cholera  15. Ague  16. Remittent Fever	3 13 1	1 3	3	3 1  4 12 1		1	1 10 1		1  1 2	9 2 1  1 2 1	 2 16		1 27	5  2  1	1  1 2 22 2	1 2  2 4 2		777 6 3 2 1 29 158 24 1 6	4 2 1  35 147 18	11 2  12 157 16	19 11  14 15 133 18	26 18  6 29 208 208 208 208	18 23  2 15 159 17	4 9 2 1 13 108 13 1	3 16 1 3 23 147 12	3 8  3 25 101 7 
17. Rheumatism 18. Pyæmia 19. Parotitis				1								2 4 			1		5 1	16 2 	1	2	5	6	2 	2	3	3
ORDER 2.  1. Syphilis			1	3 6		1		1	1			29  1	1	11 1	1	1		394     13	9 1 10	9	11 6		6 3	13 1 	10 5 ———————————————————————————————————	256 4 1 
Order 3.  1. Privation 2. Want of Breast-milk 3. Purpura and Scurvy 4. Alcoholism:— a. Del. Tremens b. Intemperance 5. Rickets	••••			7	1 	2		3	3	1 7	1	5 4	1	1 1		2	6 14 23	13 2 16 23 	24  8 31 1	 31 4 2 37 	1 38 2 7 35 	29 2 17 20	1 22 4 7 8 	4 30 1 6 16 	3 31 2 4 5 	2 12 2 1 5 
ORDER 4.  1. Thrush					1		1 1 2		3		1		2 2		2		6 5	4  3 7	6  6 12	3 1 4 8	1 3 4	7 2 9	4 3 7	6 2 8	5 1 	6 1 7
Total Class I  CLASS II.—ORDER 1. 1. Gout 2. Dropsy 3. Cancer 3a. Tumour 3b. Polypus 4. Noma 5. Mortification		 5 7		8 20 1 				 5 2		-		39  4 6 2 		4 4 1	87	22 	613 2 38 52 8 1 1 2	7 29 47 5 	561 4 28 41 11  2 4	431 4 47 33 9  3	3 50 48 4  2 3	837 3 15 44 2  3 4	1 9 49 1 1 4	2 21 56 2  2 2	411 4 16 38  7	290 1 9 27  1
ORDER 2.  1. Scrofula	3	20		 48 3  1	2   	1  11 2  1	 4  1 	16	5 1  3 	38	 2  5 	27 1 	24 1  4 1	1 23 1  25	1 11 1 	27 2  1	10 15 6 297	$\frac{5}{9}$ $\frac{7}{321}$	3 11 4 263	10 41 166 6 7 2		19 285	17	7 1 202	10 1 218	8 36 139  14 1
	3	3	5	16	3	2		1 4		3 4	5	2	8	2 4		37	53 47 35 2	53 54 34 	52 57 20 2	50 61 40 2	402 44 45 37 3	61 67 24	59 56 23 2	80 55 15 1	59 40 20 	36 44 12 

## I—continued.

Calcum III.—Order I.    Calcum III.—Order I.	13 (27 ball by 20 by 20 ft)	Gir	ops.	Bou	ırke.	Brish	pane	Macq	uarie	_			roy.	Phi	llip.	Den	ison.		To	otal De	eaths f	rom e	ach Ca	use in	Sydn	ey.	
CLASS III.—Orders 1.  5. Cheese	CAUSES OF DEATH.		_				-	-	-	_						_											71.
Section   Company   Comp		Unc	Ove	Unc	Ove	Unc	Ove	Unc	Ove	Unc	0A6	Un	Ove	Un	000	Un	00	188	187	1878	187	187	187	187	187	187	187
5. Chows   1																										p	
7. Convisions   15	5. Chorea								1									4				1	2				 15
Corners   Section   Percentage   Section   Percentage   Section   Section	7. Convulsions	19		4		9		13		51		12	1	16	1	31		157	118	116	79	112	106	116	105	127	93
1. Pericapitis							11	13	11	66	24	17	24	24	12	38	16	357	318	310	278	293	310	322	313	297	236
1   1   1   2   3   1   2   3   1   2   3   1   2   3   1   2   3   1   3   3   3   3   3   3   3   3	Order 2.				2													4	6	5	5	4	4	6		1	9
Corner 3	2. Aneurism		1		2 45		9		12	1	3						2 10	8	8	10	10	7	9	7	7	8	11 98
1. Largnetisis													12	2	 6	1	12	140	135	117	99	126	120	104	94	101	106
3. Pleursy.  7. 6 1 21 6 2 3 1 9 91 11 6 11 2 7 9 111 6 6 1 7 7 8 10 6 94 1 44. Penumonia	ORDER 3.				1					1	2							4	7	11	6	6	6	7	. 3	3	9
4. Penumonia — 7 5 1 21 6 2 3 1 9 9 11 6 11 2 7 9 110 64 71 74 82 100 94 73 80 40. Congestion of the Lungs—Pellmonary 6 2 4 3 3 1 8 2 21 3 12 1 4 1 10 3 81 25 31 22 10 13 3 11 11 9 6 6 6. Lung Disease, &c. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3. Pleurisy	10	6		16							7		11	13	20				94	85	108	106			84	109
5. Ashma	4. Pneumonia	7	5	1		6	2	3				11	6	11			9	110	64	71	74	82	106	)	73	80	83
Castritis	5. Asthma		2		3						2		1		$\frac{1}{2}$	10		10	4	5	1	3	11				1
Onder 4. 2. Entritis	o. Lung Disease, &c						 6	14							18	37											209
2. Enteritis							_													-			-				
4. Assites	2. Enteritis	7	2		2	5			2	6	4	4	1 2		1	7		58	56	59	22	29	38	36	42	35	
Character   Char	4. Ascites				3		1						1							8						1	1
7. Hers	tines 6. Hernia				 7					1	-		- 1						3 4	1 5		2 3	3	2 3	4	2	
10. Fixtula   11. Stomach Disease, &c.   1	8. Intussusception									1 7					2		- 1	1		1	3	1 2	8 3	2 2	4	8	2
12. Pancreas Disease, &c.	10. Fistula																					:		2			
14. Jaundice	12. Pancreas Disease, &c																										
Order 5.	14. Jaundice	1			3		1				1		1					8	7	3	5	7	5	5	8	5	36
ORDER 5.  1. Nephritis	16. Spleen Disease, &c																		1	170	147	100			149	1.11	1
2. Ischuria																		170	204						142		120
4. Diabetes	2. Ischuria									1			2				1	2		1				7 2		1	1
6. Cystifis	4. Diabetes				]		1						1					4	3	1	3	1	4			1	20
ORDER 6. 1. Ovarian Dropsy	6. Cystitis		1		2						3		1 2		1		- 1	8	6	7	5	3	8	3	4	3	1 3
1. Ovarian Dropsy		1		-			-	-					10		2	_	7										41
2. Uterus Disease, &c																			1	1							-
ORDER 7.       1. Arthritis	2. Uterus Disease, &c										0			8.0					3	5					3		2
1. Arthritis       2       1 1 2 3 2 3 2       1 1 2 3 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 2 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1 1 3       1	0										3							3	4	6		7	5	5	5	3	5
2. Joint Disease, &c	1. Arthritis																	2	1.	1		3			- 1	1	1
Order 8.  1. Phlegmon																	1	2	3			2					1
1. Phlegmon       1         2. Ulcer       1         3. Skin Disease (Eczema, Leprosy, &c.)       1         2       1         2       1         2       1         3       1         2       2         3       1         4       2         4       2         4       3         9	05				3		•••										1	4	4	2	4	5	3	1	4	1	2
3. Skin Disease (Eczema, Leprosy, &c.)	1. Phlegmon										i	1					-						2				
	3. Skin Disease (Eczema,																										
						-				-																	
2503, 513, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	Total, Class III	60	45	12	214	38	39	33	41						47	84	69	—— 1144			795						

#### I—continued

									]	[—	cont	inu	ed.													
	Gir	ops.	Bou	rke.	Brish	ane	Macq	uarie	Coo	k.	Fitz	roy.	Phil	lip.	Deni	son.		То	tal De	aths f	rom ea	ach Ca	use in	Sydne	y.	
CAUSES OF DEATH.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1880.	1879.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.
CLASS IV.—ORDER 1.  1. Premature Birth  2. Cyanosis  3. Spina Bifida  4. Other Malformations  5. Teething	3		1 1		4		1  1 2	,	13 3  3 *12		  1	•••	7		1  1 6		52 10  10 38 110	42 3  3 23 71	9 3 8 30		5 3 5 35	4  5 41	28 2 2 6 49 87	 1 7	3 1 3	3 2 9 47
ORDER 2.  1. Paramenia		2						1		7						 4 4		1 8 9	13				 4			3
Order 3.  1. Old Age		4		17		6		5		19		6		5		6	68	76	78	56	69	61	51.	60	50	41
ORDER 4.  1. Atrophy and Debility  Total, Class IV			10				15 				27 34		37  59				173 373				-					89 
CLASS VORDER 1.— ACCIDENT OR NEGLIGENCE 1. Fractures & Contusions 2. Wounds $\begin{cases} a. \text{Gunshot} \\ b. \text{Cuts} \end{cases}$ 3. Burns and Scalds 3a. Sunstroke 4. Poison 4a. Bite of Snake or Insec 5. Drowning 6. Suffocation 7. Otherwise			1	 4 2 2  5  3				2	2	1		1	1	1	1 2 1	  1	7 8 2  8 10 8	$ \begin{array}{r} 44\\ \dots\\ 3\\ 11\\ 2\\ \dots\\ 15\\ 4\\ 3\\ \hline 84 \end{array} $	2 6 16 3 3  4 11 2	1 6 4 1  15 8	22 1 1  12 6 1	6 10 1 4 1 10 7	$\begin{cases} 35 \\ 4 \\ 9 \\ 3 \\ 1 \\ \\ 16 \\ 2 \\ 4 \\ \hline 74 \end{cases}$	5 19 4 1  21 4 	36 3 8 2 1  13  	25 2 8   21 3 
Order 2.—Violent Deaths in Battle.  1. Gunshot Wounds  2. Sword and Bayone Wounds  3. Otherwise  Order 3.—Homicide.  1. Murder  2. Manslaughter											3		1				9 3		  6 4	  6 1		3 2	  8 4	   4. 2	   5 1	
		3	A COLUMN TO THE PERSON TO THE	2			1		1	1	3		1					9	10	7	10	5	12	6	6	9
ORDER 4.—SUICIDE.  1. Wounds { Gunshot Cut, Stab, &c 2. Poison 3. Drowning 4. Hanging 5. Otherwise				2 2 2	CONTROL OF THE CONTROL OF T			2									2 2 5  2 11	1 4 3  1 	$     \begin{array}{c}                                     $	$ \begin{array}{c} 4 \\ 1 \\ 3 \\ \dots \\ 2 \\ \dots \\ \hline 10 \end{array} $	$ \begin{array}{c} 1 \\ 5 \\ 4 \\ 2 \\ 1 \\ 1 \end{array} $	1 5 4 1 3 1 ———————————————————————————————	4 2 1 3 10	₄ 1 1 6	2 3 1  2 	3 2 5
Order 5.—Execution. 1. Hanging					• • •	•••						2		•••			2				1	1		4	3	
Violent Deaths not classed (Open Verdicts, Found drowned, &c.)		. 2		7			The first of the f						1				15	20	19		14					
Total, Class V	6	5 7	1	70	1	3	3	7	4	7	5	11	4	7	7	6	149	122	134	107	120	108	96	102	80	73
Cause not specified or ill-defined			32				101		334		4 148				 228		$\frac{60}{2740}$	29 2266	38 2321	38 2000	$\frac{55}{2491}$		15 2077			

# Births and Deaths occurring at Sea in the Colony of New South Wales, from 1st January to 31st December, 1880.

					Births.			Deaths.	
				Males.	Females.	Total.	Males.	Females.	Total.
Sydney Newcastle	 	 	 	6	3	9	49 1	15	64

K.
RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment
1. Sydney	The Registrar General	. 15 Dec., 1870	46. Maitland	Cornelius Delohery, C.P.S.	1 April, 18
2. Balmain	William Parker (chemist)	4 July, 1861	Greta	Thos. Jones	1 Jan., 18
3. Concord		24 May, 1877	47. Manning River	Jasper A. Creagh, C.P.S	1 Feb., 18
4. Glebe	William Richard Cobbin	. 16 Nov., 1875	Barrington	James Baker, C.P.S	1 June, 18
5. Newtown	Charles Alfred Newman	0 1 11 10 11	48 Wilconnia	Rudolph Roxburgh Morriset	9 Feb., 18
6. Paddington .	Henry Gale (postmaster)	1 July, 1863	Manindia	W. A. Steel, C.P.S.	
Randwick	Wm. Bethune, Assistant D.R	1 Feb., 1876	49 Moama	L. S. Donaldson, P.M	1 Oct., 18
Waverley	W. Wiley, Assistant D.R.	1 Aug., 1876		Tohn H Nighett CDS	1 Jan., 18
Woollahra		1 Aug., 1878	50. Molong		1 Nov., 18
7. Redfern		. 30 Oct., 1865	52 Moulemain	John Keating	16 Sept., 18
8. Waterloo		91 Man 1970	52. Modiamem	Thomas Linton	13 July, 18
9. St. George	Thombilus Honey Polese	. 31 Mar., 1879		F. S. Isaacs, C.P.S.	1 Oct., 18
0. St. Leonards.			Gulgong		1 April, 18
Manly			54 W	Assistant D.R.	1 41 10
mainly		1 July, 1877	54. Murrurundi	G. R. Evans, C.P.S.	1 April, 18
1. Albury	tant D.R.	0 T-1- 1070	55. Muswellbrook	Timothy Foley, C.P.S	1 Dec., 18
		8 July, 1872	56. Narrabri		16 May, 18
2. Armidale		1 Mar., 1876	57. Newcastle		28 Feb., 18
Thelle	M. S. Love, C.P.S.	. 1 Feb., 1878	Lambton	William F. Dent, Assistant	13 Aug., 18
Uralla		- T.I. 1005	777.11	D.R.	
3. Balranald	,		Wallsend	Thomas Alnwick, Assistant	1 Jan., 18
4. Bathurst			KO DT 71	D.R.	0.75
5. Bega	John Davis, C.P.S.	. 1 Jan., 1871	58. Nundle	Samuel Kermode	2 Mar., 18
6. Berrima		, 1 May, 1872	59. Orange	William T. Evans, C.P.S	20 Feb., 18
D	P.M. & C.P.S.	1.01.1050	60. Parramatta		1 Oct., 18
Burrawang		1 Oct., 1876	61. Paterson	Benjamin Newbury (surgeon)	22 Mar., 18
7. Bombala		. 24 Jan., 1871	62. Patrick's Plains		23 June, 18
8. Bourke			63. Penrith	John K. Cleeve, jun., C.P.S.	2 Aug., 18
9. Braidwood			64. Picton	Wm. Redfern Antill	30 Mar., 18
O. Brisbane Wate		9 July, 1856	65. Port Macquarie	Richd. Maunsell, P.M. &	1 Oct., 18
1. Broulee		. 1 Oct., 1876		C.P.S.	
2. Burrowa	William J. E. Wotton, C.P.S	. 2 Aug., 1869	66. Port Stephens	Thomas Laman, C.P.S	2 Aug., 18
Grenfell		- 1 July, 1878	67. Queanbeyan	Fredk. B. Russell, P.M	1 July, 18
	tant D.R.		68. Raymond Terrace	William Gloag	28 Feb., 18
3. Camden	John B. Martin, C.P.S	. 14 Aug., 1856	69. Richmond	Rowland H. Ducker	1 Jan., 18
4. Campbelltown	H. Dillon, C.P.S	. 2 Oct., 1878	70. Richmond River	Malcolm M'Intyre Campbell,	26 April, 18
5. Carcoar	Wm. Badcock Warner	. 1 Oct., 1877		C.P.S.	20 Mpin, 10
6. Cassilis	J. H. Tompson, C.P.S	1 Jan., 1879	Lismore		1 Nov., 18
7. Clarence Town	J. Lyall	. 1 Oct., 1876	71. Ryde	Geo. M. Pope, C.P.S	30 Mar., 18
8. Cooma	Geo. H. Smithers, C.P.S	. 12 Sept., 1875	72. Rylstone	W. W. Armstrong, C.P.S	5 Mar., 18
9. Coonabarabrai		. 25 Nov., 1863	73. Scone	James T. Wilshire, C.P.S	1 May, 18
Coonamble	R. R. Bailey, P.M., Assis		74. Shoalhaven	William Lovegrove, C.P.S	2 Aug., 18
	tant D.R.	1	75. Sofala	Charles G. Smith	1 June, 18
0. Cowra	John Arkins, C.P.S	. 14 Nov., 1870	76. Tambaroora	James Sydney Willard (post-	20 Tune, 10
1. Deniliquin	William Henry Hooper	1 June, 1874		master).	28 June, 18
2. Dubbo	Luke M'Guinn, C.P.S	1 Aug., 1863	Hill End		10.4 10
3. Dungog	Chas. G. Smith, C.P.S	17 Sept. 1875	11111 Elia	A. B. Burns, C.P.S., Assis-	1 Oct., 18
4. Eden	R. B. Hays, C.P.S	1 Jan., 1877	77. Tamworth	tant D.R.	0.3/
5. Forbes		1 Sept., 1873		John M'Donald, C.P.S.	9 May, 18
Parkes		1 July 1878	Gunnedah	T. K. Abbott, C.P.S., Assis-	16 Mar., 18
2 111105	Assistant D.R.	, 1 July, 1878	70 M	tant D.R.	
Condobolin .		7 Oct 1070	78. Tenterfield	John Simons, C.P.S.	1 Sept., 18
6. Goulburn	Chas Somerville Alexander	7 Oct., 1878 , 31 Mar., 1862	79. Tweed River	Joshua Bray	28 Sept., 18
. oodibuilt	C.P.S.	, or mar., 1002	80. Tumut	A. Hilton	15 Jan., 18
7. Grafton		1 April 1074	or. Unadulla	S. M. Burrows, C.P.S.	1 Nov., 18
Maclean	Samuel MacNarahtan	. 1 April, 1874	oz. Wagga Wagga	Edwin H. Tompson, C.P.S.	2 Aug., 18
nracicali		- 1 June, 1872	Narrandera	Jno. L. King, C.P.S.	1 Sept., 18
& Gundami	master), Assistant D.R.		Urana	C. L. C. Badham, C.P.S	1 Nov., 18
8. Gundagai		1 Feb., 1872	83. Walgett	Jas. Millar, Acting	1 July, 18
A d. d	master).	× 35	84. Warialda	F. C. Macarthur, C.P.S	1 Jan., 18
Adelong			Moree	J. Teas, C.P.S	
Cootamundra		. 1 Sept., 1878	85. Wellingrove	H. H. Hutchinson (Mining	29 Aug., 18
9. Hartley, Lith		t 25 July, 1869		Registrar).	20, 10
) TT-	(auctioneer).		Vegetable Creek	George Henry Gower	1 May, 18
0. Hay	L. Macarthur, P.M.	1 June, 1874		(Warden's Clerk).	1 1111, 10
Hillston	N. C. O'Neill	. 1 Oct., 1878	86. Wellington	Frederick Marsh, C.P S	28 April, 18
1. Inverell	Wm. Clare Cardew, C.P.S.	1 April, 1875	87. Wentworth	Wm. Lyle Richardson, P.M.	
2. Kiama	Henry Connell, C.P.S	5 June, 1863	88. Windsor	Wm. Hy. H. Becke, C.P.S	1 April, 18
3. Liverpool	William Long (schoolmaster	8 June, 1866	89. Wollombi	Alfred Elliott	1 April, 18
Lord Howe Is:	and R. R. Armstrong	. 1 Sept., 1878	90. Wollongong	Alfred A Turney C.D.S.	12 Mar., 18
4. Macdonald Ri	ver Thos. J. Thompson (post	Aug., 1877	91. Yass	Alfred A. Turner, C.P.S	2 Aug., 18
	master).	8., 2011	Gunning	Leopold Yates, C.P.S	17 June, 18
5. Macleay River		. 1 April, 1877	dunning	John Fred. Kenyon, C.P.S.,	1 Sept., 18
Bellinger Rive	r Arthur M. Fisher, P.M.	1 Nov., 1877	92 Voune	Assistant D.R.	2 422 70
8-2-11	C.P.S., Assistant D.R.	1 1101., 1011	92. Young	J. R. Edwards, C.P.S	2 Aug., 18
	0.1, 110010 talle D.10.		Murrumburrah	C. Cutcliffe, C.P.S., Assistant	14 Allg., 18
Nambucca Ri	er   George Henderson, Assistan	t 5 Sept., 1877		D.R.	0, 20